ARTEMATOPIDAE

Y. Bousquet

This family includes eight North American species, four of which are currently mentioned from Canada. Little is known about the bionomics of the Nearctic species. The adults are usually found on foliage; the larvae of some species have been reared on mosses (Lawrence 1982a).

Lawrence (1982a) recognized three subfamilies of Artematopidae, the Macropogoninae being the only one found in North America. The macropogonines have been placed within the Dascillidae by many authors, including Arnett (1968).

NT (1); BC (3); AB (1); MB (1); ON (2); PQ (2); NB (1)

Subfamily MACROPOGONINAE

Genus MACROPOGON Motschulsky
Key to the North American species: Hopping (1936)

M. piceus LeConte	-	-	NT	BC	AB	-	MB	ON	PQ	NB	-	-	-	-
dubius W.J.Brown														
rufipes Horn														
M. testaceipennis Motschulsky	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
cribricollis W.J.Brown														
rubricollis Pic														

Genus EURYPOGON Motschulsky
Dasypogon LeConte

E. californicus Horn	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
E. niger (Melsheimer)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
harrisi (Westwood)														