





C. westwoodi (Kirby)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Genus CYRTOMOPTERA Motschulsky															
C. divisa (LeConte)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-
latiuscula Motschulsky															
Genus RHAXONYCHA Motschulsky															
Key to North American species: McKey-Fender (1950)															
R. bilobata (McKey-Fender)	-	-	-	-	-	-	MB	ON	PQ	-	-	-	-	-	-
R. carolina (Fabricius)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-	-
jactata (Say)															
Genus RHAGONYCHA Eschscholtz															
Key to North American species: Green (1940)															
R. alaskensis Fender	AK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R. anthracina Mannerheim	AK	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R. costipennis (LeConte)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-	-
R. excavata (LeConte)	-	-	-	BC	-	-	MB	ON	PQ	-	NS	-	-	-	-
R. fraxini (Say)	AK	-	-	BC	AB	-	MB	ON	PQ	-	NS	-	-	NF	
atra (Kirby)															
binodula Mannerheim															
nigrita (LeConte)															
R. fulva (Scopoli)+	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-
R. gilvipes (Gemminger)	-	-	NT	-	?	-	-	-	-	-	-	-	-	-	-
dichroa (LeConte)															
flavipes (LeConte)															
R. imbecillis (LeConte)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-	NF
albolineata (Blatchley)															
R. luteicollis (Germar)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-	-
cinctella (LeConte)															
R. mandibularis (Kirby)	AK	YK	NT	BC	AB	SK	MB	-	PQ	-	-	-	-	LB	NF
nigritula (LeConte)															
R. mollis mollis Fall	-	-	-	-	-	SK	-	ON	-	-	NS	-	-	-	NF
nigriceps (LeConte)															
pusilla (LeConte)															
R. nanula (LeConte)	-	-	-	-	-	-	-	-	-	-	NS	-	-	-	-
R. oriflava (LeConte)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-	-
R. recta (Melsheimer)	-	-	-	BC	AB	-	-	ON	PQ	-	NS	-	-	-	NF
pusilla (LeConte)															
rufipes (Say)															
R. scitula (Say)	-	-	-	-	-	-	-	-	PQ	-	NS	-	-	-	-
R. septentrionis (Green)	-	-	-	-	-	-	MB	ON	-	-	-	-	-	-	-
R. sylvatica (Green)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-	-
R. tantilla (LeConte)	-	-	-	-	-	SK	-	-	-	-	-	-	-	-	-
pusio (LeConte)															
R. vilis (LeConte)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-	-
R. walshi (LeConte)	-	-	-	-	-	-	MB	-	-	-	-	-	-	-	-



<i>M. fuliginosus fuliginosus</i> LeConte	-	-	-	-	-	-	-	-	PQ	NB	NS	-	-	-
<i>M. fuliginosus flavicollis</i> Fender	-	-	-	-	-	-	-	-	-	-	NS	-	-	-
<i>M. intricatus</i> Fender	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-
<i>M. macnabi</i> Fender	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>M. mediocidens</i> Fender	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>M. niger</i> (LeConte)	-	-	-	-	-	-	-	-	PQ	NB	-	-	-	NF
<i>M. oregonus</i> Fender	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>M. parvulus</i> (LeConte)	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	NF
<i>M. piceolus</i> Fall	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>M. piperi</i> Fender	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>M. similis</i> Fender	-	-	-	-	-	-	-	ON	-	-	NS	-	-	-
<i>M. stacesmithi</i> Fender	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>M. terraenovae</i> Fender	-	-	-	-	-	-	-	-	-	-	-	-	-	NF

Subfamily CHAULIOGNATHINAE  
Tribe Chauliognathini

Genus CHAULIOGNATHUS Hentz  
Key to North American species: Fender (1964)

<i>C. pennsylvanicus</i> (DeGeer)	-	-	-	-	-	-	-	MB	ON	-	-	-	-	-
<i>bimaculatus</i> (Fabricius)														

Tribe Ichthyurini

Genus TRYPHERUS LeConte  
Lygerus Kiesenwetter  
Key to North American species: Fender (1960)

<i>T. frisoni</i> Fender	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
--------------------------	---	---	---	---	---	---	---	----	---	---	---	---	---	---