

<i>C. formosa</i> <i>generosa</i> Dejean <i>latecincta</i> Gould	-	-	-	-	-	-	SK	MB	ON	PQ	-	-	-	-	-	-
<i>C. formosa</i> <i>gibsoni</i> Brown	-	-	-	-	-	-	SK	-	-	-	-	-	-	-	-	-
<i>C. fulgida</i> <i>westbournei</i> Calder <i>elegans</i> Calder	-	-	-	-	-	AB	SK	MB	-	-	-	-	-	-	-	-
<i>C. hirticollis</i> <i>athabascensis</i> Graves	-	-	-	-	-	AB	SK	-	-	-	-	-	-	-	-	-
<i>C. hirticollis</i> <i>couleensis</i> Graves	-	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-	-
<i>C. hirticollis</i> <i>rhodensis</i> Calder <i>nigrita</i> Davis <i>shermani</i> Casey	-	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	LB	NF	-
<i>C. hirticollis</i> <i>shelfordi</i> Graves	-	-	-	-	-	AB	SK	MB	-	-	-	-	-	-	-	-
<i>C. lengi</i> <i>versuta</i> Casey	-	-	-	-	BC	AB	SK	MB	-	-	-	-	-	-	-	-
<i>C. limbalis</i> <i>limbalis</i> Klug <i>amoena</i> LeConte <i>awemeana</i> Casey <i>eldorensis</i> Casey <i>militaris</i> Varas-Arangua <i>spreti</i> LeConte	-	-	-	NT	BC	AB	SK	MB	ON	PQ	-	NS	-	-	-	NF
<i>C. limbata</i> <i>hyperborea</i> LeConte	-	-	-	NT	-	AB	SK	MB	-	-	-	-	-	-	LB	-
<i>C. limbata</i> <i>nympha</i> Casey	-	-	-	-	-	AB	SK	MB	-	-	-	-	-	-	-	-
<i>C. longilabris</i> <i>longilabris</i> Say <i>albilabris</i> Kirby <i>novaterrae</i> Leng <i>terracensis</i> Casey	AK	YK	NT	BC	AB	SK	MB	ON	PQ	NB	NS	PE	LB	NF	-	-
<i>C. nebraskana</i> <i>nebraskana</i> Casey <i>calgaryana</i> Casey <i>canadensis</i> Casey <i>chamberlaini</i> Knaus <i>montana</i> LeConte <i>spissitarsis</i> Casey <i>uteana</i> Casey	-	-	-	-	BC	AB	SK	MB	-	-	-	-	-	-	-	-
<i>C. oregona</i> <i>guttifera</i> LeConte <i>audax</i> Casey <i>oregonella</i> Casey <i>sterope</i> Casey	AK	YK	NT	BC	AB	-	-	-	-	-	-	-	-	-	-	-
<i>C. oregona</i> <i>oregona</i> LeConte <i>ovalipennis</i> Casey <i>quadripennis</i> Casey <i>sonoma</i> Casey	-	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-
<i>C. parowana</i> <i>wallisi</i> Calder <i>azurea</i> Calder	-	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-
<i>C. patruela</i> <i>patruela</i> Dejean	-	-	-	-	-	-	-	-	ON	-	-	-	-	-	-	-
<i>C. pugetana</i> Casey <i>nigerrimoides</i> Hatch	-	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-
<i>C. purpurea</i> <i>audubonii</i> LeConte <i>auguralis</i> Casey <i>graminea</i> Schaupp <i>nigerrima</i> Leng	-	-	-	-	BC	AB	SK	MB	-	-	-	-	-	-	-	-
<i>C. purpurea</i> <i>purpurea</i> Olivier <i>marginalis</i> Fabricius <i>ramosa</i> Gistel	-	-	-	-	BC	-	-	-	ON	PQ	-	NS	-	-	-	-
<i>C. repanda</i> <i>novascotiae</i> Vaurie	-	-	-	-	-	-	-	-	-	PQ	NB	NS	PE	-	-	-
<i>C. repanda</i> <i>repanda</i> Dejean <i>baltimorensis</i> Herbst <i>duncani</i> Knaus <i>hoosieri</i> Mares <i>maehleri</i> Robinson <i>unijuncta</i> Casey	-	-	-	NT	BC	AB	SK	MB	ON	PQ	NB	NS	PE	LB	NF	-
<i>C. scutellaris</i> <i>criddlei</i> Casey	-	-	-	-	-	-	-	-	MB	-	-	-	-	-	-	-
<i>C. scutellaris</i> <i>lecontei</i> Haldeman	-	-	-	-	-	-	-	-	MB	ON	PQ	-	-	-	-	-
<i>C. scutellaris</i> <i>scutellaris</i> Say	-	-	-	-	-	AB	SK	-	-	-	-	-	-	-	-	-
<i>C. sexguttata</i> <i>denikei</i> Brown	-	-	-	-	-	-	-	-	MB	ON	-	-	-	-	-	-
<i>C. sexguttata</i> <i>sexguttata</i> Fabricius <i>guttata</i> Emmons <i>harrisii</i> Leng <i>illinoensis</i> Mares <i>kansana</i> Knaus <i>levettei</i> Casey	-	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	-	-

C. externum (Say) longipenne Dejean	-	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
(Subgenus CHRYSOSTIGMA Kirby) (Lyperostenia Vacher de Lapouge) (Tapinosthenes Kolbe)															
C. calidum (Fabricius) comes Casey concretum Casey expansum Casey laticolle Casey stellatum Casey	-	-	NT	BC	AB	SK	MB	ON	PQ	NB	NS	-	-	-	NF
C. cancellatum Eschscholtz aenescens LeConte esuriens Casey praestans Casey rectilaterum Casey sagax Casey transversum Casey	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-
C. lepidum LeConte	-	-	-	-	AB	SK	MB	-	-	-	-	-	-	-	-
C. obsoletum Say microstictum Casey	-	-	-	-	AB	SK	MB	-	-	-	-	-	-	-	-
C. tepidum LeConte caelator Casey cogitans Casey indigenes Casey irregulare Walker pellax Casey semicupreum Casey	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-
(Subgenus CALLISTHENES Fischer von Waldheim) (Callistenia Vacher de Lapouge) (Isostenia Vacher de Lapouge)															
C. luxatum Say debile (Casey) diffractum (Casey) exaratum (Casey) opacum (Géhin) parowanum (Casey) pimelioides (Walker) pustulosum (Casey) reflexum (Casey) semotum (Casey) striatulum LeConte striatum Breuning tahoense Van Dyke tegulatum (Casey) utense (Casey) viator (Casey) ?zimmermani (LeConte)	-	-	-	BC	AB	SK	-	-	-	-	-	-	-	-	-
C. moniliatum (LeConte) bicolor (Walker) concinnum (Casey) laqueatum LeConte vancouvericum (Csiki)	-	-	-	BC	AB	SK	-	-	-	-	-	-	-	-	-
C. monticola (Casey) nevadense (Casey)	-	-	-	?	-	-	-	-	-	-	-	-	-	-	-
C. subaeneum Chaudoir	-	-	-	?	-	-	-	-	-	-	-	-	-	-	-
C. wilkesii (LeConte)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-

Genus CARABUS Linné

(Subgenus CARABUS s.str.)
(Cryocarabus Vacher de Lapouge)
(Homoeocarabus Reitter)

(Lichnocarabus Reitter)
(Neocarabus Hatch)

<i>C. chamissonis</i> Fischer von Waldheim	AK	YK	NT	-	AB	SK	MB	ON	PQ	-	-	-	LB	-
<i>brachyderus</i> Wiedemann														
<i>groenlandicus</i> Dejean														
<i>washingtoni</i> Casey														
<i>C. goryi</i> Dejean	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>clarkei</i> Blumenthal														
<i>limbatus</i> Say														
<i>C. granulatus granulatus</i> Linné+	-	-	-	BC	-	-	-	ON	PQ	-	-	-	-	-
<i>C. granulatus hibernicus</i> Lindroth+	-	-	-	-	-	-	-	-	-	NB	NS	-	-	NF
<i>C. maeander maeander</i> Fischer von Waldheim*	AK	-	NT	BC	AB	SK	MB	ON	PQ	NB	NS	PE	LB	NF
<i>atlanticus</i> Vacher de Lapouge														
<i>excatenatus</i> Kraatz														
<i>excostatus</i> Kraatz														
<i>hudsonicus</i> Motschulsky														
<i>lapilayi</i> Castelnau														
<i>lecontei</i> Géhin														
<i>simoni</i> Heyden														
<i>C. nemoralis</i> O.F.Muller+	-	-	-	BC	AB	SK	-	ON	PQ	NB	NS	-	-	NF
<i>canadensis</i> Vacher de Lapouge														
<i>C. vincetus</i> Weber	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>carinatus</i> Dejean														
<i>georgiae</i> Csiki														
<i>interruptus</i> Say														
<i>ligatus</i> Germar														

(Subgenus DIOCARABUS Reitter)

<i>C. taedatus agassii</i> LeConte	AK	YK	NT	BC	AB	SK	MB	ON	PQ	-	-	-	-	NF
<i>canadicus</i> Roescke														
<i>coloradensis</i> Breuning														
<i>gladiator</i> Motschulsky														
<i>montanicus</i> Casey														
<i>oregonensis</i> LeConte														
<i>patulicollis</i> Casey														
<i>stocktonensis</i> Casey														
<i>C. taedatus taedatus</i> Fabricius	AK	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>baccivorus</i> Fischer von Waldheim														
<i>bicanaliceps</i> Casey														
<i>franciscanus</i> Casey														
<i>rainieri</i> Van Dyke														
<i>seriatus</i> Wiedemann														
<i>C. truncaticollis truncaticollis</i> Eschscholtz	AK	YK	NT	-	-	-	-	-	-	-	-	-	-	-
<i>alaskensis</i> Basilewsky														
<i>lutshnikianus</i> Basilewsky														

(Subgenus HEMICARABUS Géhin)

<i>C. serratus</i> Say	-	-	-	BC	AB	SK	MB	ON	PQ	NB	NS	PE	-	NF
<i>canadensis</i> LeConte														
<i>lineatopunctatus</i> Dejean														
<i>tatumi</i> Motschulsky														
<i>vegasensis</i> Casey														

(Subgenus TANAOCARABUS Reitter)

<i>C. sylvosus sylvosus</i> Say	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
<i>lherminieri</i> Dejean														

(Subgenus MEGODONTUS Solier)

<i>C. vietinghoffii vietinghoffii</i> Adams*	AK	YK	NT	-	-	-	-	-	-	-	-	-	-	-
--	----	----	----	---	---	---	---	---	---	---	---	---	---	---

<i>N. haida</i> Kavanaugh	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>N. hudsonica</i> LeConte	-	YK	NT	BC	AB	SK	MB	-	-	-	-	-	-	-
<i>N. kincaidi</i> kincaidi Schwarz	AK	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>columbiana</i> Casey														
<i>N. lacustris</i> lacustris Casey	-	-	-	-	-	-	MB	ON	PQ	-	-	-	-	-
<i>expansa</i> Casey														
<i>N. lituyae</i> Kavanaugh	AK	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>N. louiseae</i> Kavanaugh	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>N. mannerheimii</i> Fischer von Waldheim	AK	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>corvallis</i> Casey														
<i>hippislei</i> Casey														
<i>oregona</i> Casey														
<i>N. meanyi</i> meanyi Van Dyke	AK	YK	-	BC	-	-	-	-	-	-	-	-	-	-
<i>N. meanyi</i> sylvatica Kavanaugh	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>N. metallica</i> Fischer von Waldheim	AK	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>pacifica</i> Chaudoir														
<i>N. nivalis</i> gaspesiana Kavanaugh	-	-	-	-	-	-	-	-	PQ	-	-	-	LB	NF
<i>N. nivalis</i> nivalis (Paykull)*	AK	YK	NT	-	-	-	-	-	PQ	-	-	-	-	-
<i>bifaria</i> Mannerheim														
<i>mollis</i> Motschulsky														
<i>N. obliqua</i> obliqua LeConte	AK	YK	-	BC	AB	SK	-	-	-	-	-	-	-	-
<i>incerta</i> Casey														
<i>obtusa</i> LeConte														
<i>testaceipes</i> Casey														
<i>texana</i> Casey														
<i>N. pallipes</i> Say	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	-
<i>N. piperi</i> Van Dyke	AK	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>N. sahlbergii</i> sahlbergii Fischer von Waldheim	AK	YK	-	BC	AB	-	-	-	-	-	-	-	-	-
<i>aleuta</i> Van Dyke														
<i>violacea</i> Motschulsky														
<i>N. schwarzi</i> schwarzi Van Dyke	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-
<i>N. suturalis</i> LeConte	-	-	-	-	-	-	-	ON	PQ	-	-	-	LB	-
<i>longula</i> LeConte														
<i>nimbosa</i> Casey														
<i>N. virescens</i> Horn	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>brevis</i> Casey														

Tribe Notiophilini

Genus NOTIOPHILUS Duméril

<i>N. aeneus</i> (Herbst)	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	-
<i>porrectus</i> Say														
<i>N. aquaticus</i> (Linné)*	AK	YK	-	BC	AB	SK	MB	ON	PQ	NB	NS	-	LB	NF
<i>hardyi</i> Putzeys														
<i>N. biguttatus</i> (Fabricius)+	-	-	-	BC	-	-	-	-	-	-	NS	-	-	NF
<i>N. borealis</i> Harris*	AK	YK	NT	BC	AB	-	MB	ON	PQ	-	-	-	LB	NF
<i>N. directus</i> Casey	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-
<i>lanei</i> Hatch														
<i>N. intermedius</i> Lindroth	AK	-	-	BC	-	-	MB	-	PQ	-	-	-	LB	NF
<i>N. nitens</i> LeConte	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>N. semistriatus</i> Say	AK	YK	-	BC	AB	-	MB	ON	PQ	-	NS	-	LB	-
<i>americanus</i> Harris														
<i>coloradensis</i> Casey														
<i>confusus</i> LeConte														
<i>punctatus</i> LeConte														
<i>N. simulator</i> Fall	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-
<i>evanescens</i> Casey														
<i>N. sylvaticus</i> Eschscholtz	AK	-	-	BC	-	-	-	-	-	-	-	-	-	-

Tribe Loricerini

Genus LORICERA Latreille

Key to species: Ball & Erwin (1969)

(Subgenus LORICERA s.str.)

L. decempunctata Eschscholtz	AK	-	-	BC	-	-	-	-	-	-	-	-	-	-
L. pilicornis congesta Mannerheim*	AK	-	-	-	-	-	-	-	-	-	-	-	-	-
L. pilicornis pilicornis (Fabricius)*	AK	YK	NT	BC	AB	SK	MB	ON	PQ	NB	NS	-	LB	NF
californica LeConte														
neoscotica LeConte														
semipunctata Eschscholtz														
sierrae Van Dyke														
uteana Casey														

Tribe Opisthiini

Genus OPISTHIUS Kirby

O. richardsoni Kirby	AK	YK	NT	BC	AB	SK	-	-	-	-	-	-	-	-
----------------------	----	----	----	----	----	----	---	---	---	---	---	---	---	---

Tribe Elaphrini

Genus DIACHEILA Motschulsky
Arctobia C.G.Thomson

D. arctica amoena (Faldermann)*	AK	-	NT	-	-	-	-	-	-	-	-	-	LB	-
americana Motschulsky														
subpolaris LeConte														
D. polita (Faldermann)*	AK	YK	NT	-	-	-	-	-	-	-	-	-	-	-

Genus BLETHISA Bonelli

Helobium Leach
Rhaphiona Fischer von Waldheim
Key to species: Goulet & Smetana (1983)

B. catenaria W.J.Brown*	AK	YK	NT	-	-	-	MB	-	-	-	-	-	-	-
B. inexpectata Goulet & Smetana	AK	-	-	-	-	-	-	-	-	-	-	-	-	-
B. julii LeConte	-	-	NT	-	AB	SK	MB	ON	PQ	NB	NS	-	-	NF
B. multipunctata aurata Fischer von Waldheim*	AK	YK	NT	BC	AB	SK	MB	ON	PQ	-	NS	-	-	NF
hudsonica Casey														
B. oregonensis LeConte	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
acutangula Chaudoir														
columbica Casey														
B. quadricollis Haldeman	AK	-	NT	BC	AB	SK	MB	ON	PQ	NB	NS	-	LB	NF
americana Harris														

Genus ELAPHRUS Fabricius
Key to species: Goulet (1983)

(Subgenus ARCTELAPHRUS Semenov)

E. lapponicus lapponicus Gyllenhal*	AK	YK	NT	BC	AB	-	MB	ON	PQ	-	-	-	LB	-
obscurior Kirby														
E. lapponicus obliteratus Mannerheim	AK	-	-	-	-	-	-	-	-	-	-	-	-	-

(Subgenus NEOELAPHRUS Hatch)

E. cicatricosus LeConte	-	-	-	-	-	-	-	-	PQ	-	-	-	-	-
rhodeanus Casey														
E. clairvillei Kirby	AK	YK	NT	BC	AB	SK	MB	ON	PQ	NB	NS	-	LB	NF
frosti Hippiusley														
lynni Pierce														
politus LeConte														
torreyensis Tanner														
E. fuliginosus Say	-	-	-	-	AB	-	MB	ON	PQ	-	-	-	-	-

<i>D. pallipennis</i> (Say)	-	-	-	-	AB	SK	-	ON	PQ	-	-	-	-	-
<i>D. perversus</i> Fall	-	-	-	-	-	-	-	MB	-	-	-	-	-	-
<i>desertus</i> Fall														
<i>D. pilosus</i> LeConte	-	-	-	-	-	-	-	MB	ON	PQ	-	-	-	-
<i>hispidus</i> LeConte														
<i>D. planatus</i> Lindroth	-	-	-	-	AB	SK	MB	-	-	-	-	-	-	-
<i>D. politus</i> (Dejean)*	AK	YK	-	BC	AB	SK	MB	ON	PQ	-	-	-	-	NF
<i>aureolus</i> Notman														
<i>D. quadrimaculatus</i> Lindroth	-	-	-	-	AB	SK	MB	-	-	-	-	-	-	-
<i>D. sellatus</i> LeConte	-	-	-	-	-	-	-	-	PQ	-	NS	PE	-	NF
<i>D. setosus</i> LeConte	AK	-	-	BC	AB	SK	MB	ON	PQ	NB	-	-	-	-
<i>alternatus</i> Hatch														
<i>D. sextoni</i> Bousquet	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>D. sphaericollis</i> (Say)	-	-	-	BC	AB	SK	MB	ON	PQ	NB	NS	-	-	NF
<i>subpunctatus</i> Hatch														
<i>D. subarcticus</i> Lindroth	AK	YK	NT	-	-	-	-	-	-	-	-	-	-	-
<i>D. tenuispinus</i> Lindroth	-	-	-	-	AB	-	-	-	-	-	-	-	-	-
<i>D. timidus</i> Lindroth	-	-	-	-	-	-	MB	-	-	-	-	-	-	-
<i>D. truncatus</i> LeConte	AK	-	NT	BC	AB	SK	MB	-	-	-	-	-	-	-

Genus CLIVINA Latreille

(Subgenus SEMICLIVINA Kult)

<i>C. dentipes</i> Dejean	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>corvina</i> Putzeys														
<i>confusa</i> LeConte														
<i>fissipes</i> Putzeys														
<i>georgiana</i> LeConte														

(Subgenus PARACLIVINA Kult)

<i>C. bipustulata</i> (Fabricius)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>quadrimaculata</i> (Palisot de Beauvois)														

(Subgenus CLIVINA s.str.)

<i>C. americana</i> Dejean	-	-	-	-	-	-	-	ON	PQ	-	NS	-	-	-
<i>acuducta</i> Haldeman														
<i>cordata</i> Putzeys														
<i>ludoviciana</i> Putzeys														
<i>C. collaris</i> (Herbst)+	-	-	-	BC	-	-	-	ON	PQ	-	-	-	-	-
<i>elongata</i> Randall														
<i>randalli</i> LeConte														
<i>C. fossor</i> (Linné)+	-	-	-	BC	-	-	-	ON	PQ	NB	NS	-	-	NF
<i>C. impressifrons</i> LeConte	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
<i>C. oregona</i> Fall	-	-	-	BC	-	-	-	-	-	-	-	-	-	-

Genus SCHIZOGENIUS Putzeys

Key to North American species: Whitehead (1972)

(Subgenus SCHIZOGENIUS s.str.)

<i>S. amphibius</i> (Haldeman)	-	-	-	-	-	-	-	-	PQ	-	-	-	-	-
<i>frontalis</i> (LeConte)														
<i>S. depressus</i> LeConte	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>S. ferrugineus</i> Putzeys	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
<i>sulcatus</i> (LeConte)														
<i>S. lineolatus</i> (Say)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
<i>S. litigiosus</i> Fall	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>S. sulcifrons</i> Putzeys	-	-	-	-	-	-	-	ON	PQ	NB	-	-	-	-

Genus BRACHINUS Weber

Key to North American species: Erwin (1970b)

(Subgenus NEOBRACHINUS Erwin)

B. cordicollis Dejean	-	-	-	-	-	-	-	-	ON	PQ	NB	-	-	-	-
gracilis Blatchley															
leptocerus Chaudoir															
velox LeConte															
B. cyanipennis Say	-	-	-	-	-	-	-	-	MB	ON	PQ	NB	-	-	-
cephalotes Dejean															
rejectus LeConte															
B. cyanochroaticus Erwin	-	-	-	BC	-	SK	-	-	MB	ON	PQ	-	-	-	-
B. fumans (Fabricius)	-	-	-	BC	AB	-	-	-	MB	ON	PQ	-	-	-	-
affinis LeConte															
amplipennis Bates															
atbarae Stehr															
cyanopterus LeConte															
sufflans LeConte															
tabasconus Bates															
B. janthinipennis (Dejean)	-	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
pumilio LeConte															
B. medius Harris	-	-	-	BC	-	-	-	-	ON	PQ	-	-	-	-	-
minutus Harris															
B. ovipennis LeConte	-	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
B. quadripennis Dejean	-	-	-	BC	AB	SK	-	-	MB	ON	-	-	-	-	-
stygicornis Say															
tschernikhii Mannerheim															
B. tenuicollis LeConte	-	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
ballistarius LeConte															
similis LeConte															
B. texanus Chaudoir	-	-	-	-	AB	-	-	-	-	-	-	-	-	-	-

Tribe Paussini

Genus METRIUS Eschscholtz

M. contractus contractus Eschscholtz	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-
--------------------------------------	---	---	---	----	---	---	---	---	---	---	---	---	---	---	---

Tribe Gehringiini

Genus GEHRINGIA Darlington

G. olympica Darlington	-	-	NT	BC	AB	-	-	-	-	-	-	-	-	-	-
------------------------	---	---	----	----	----	---	---	---	---	---	---	---	---	---	---

Tribe Broscini

Genus BROSCUS Panzer

B. cephalotes (Linné)+	-	-	-	-	-	-	-	-	-	-	-	NS	PE	-	-
------------------------	---	---	---	---	---	---	---	---	---	---	---	----	----	---	---

Genus MISCODERA Eschscholtz

Leiochiton Curtis

M. arctica (Paykull)*	AK	YK	NT	BC	AB	SK	MB	ON	PQ	-	NS	-	LB	NF	
americana Mannerheim															
hardyi Chaudoir															

Genus BROSCODERA Lindroth

B. insignis (Mannerheim) AK - - BC - - - - - - - - - -

Genus ZACOTUS LeConte

Z. matthewsii LeConte AK - - BC - - - - - - - - - -
 angustus Casey
 fredericki Nunenmacher
 subopacus Hopping

Tribe Trechini

Genus BLEMUS Dejean
 Lasiotrechus Ganglbauer

B. discus (Fabricius)+ - - - - - - - ON PQ NB - - - -

Genus TRECHUS Clairville

(Subgenus TRECHUS s.str.)

T. apicalis Motschulsky* AK YK NT BC AB SK MB ON PQ NB NS - LB NF
 borealis Schaeffer
 brumalis Casey
 canadensis Putzeys
 fulvus (LeConte)
 micans (LeConte)
 pallescens Casey
 puritanus Casey
 rhodensis Casey
 T. chalybeus Dejean* AK - - BC AB - - - - - - - - - -
 brachyderus Jeannel
 californicus Motschulsky
 tahoensis Casey
 T. crassiscapus Lindroth - - - - - - - ON PQ - NS - LB NF
 T. obtusus Erichson+ - - - BC - - - - - - - - - -
 T. oregonensis Hatch - - - BC AB - - - - - - - - - -
 T. ovipennis Motschulsky AK - - BC - - - - - - - - - -
 T. quadristriatus (Schrank)+ - - - - - - - ON PQ - - - - - -
 T. rubens (Fabricius)+ - - - - - - - PQ NB NS - - NF
 T. tenuiscapus Lindroth - YK - BC AB - - - - - - - - - -

Tribe Bembidiini

Genus ASAPHIDION des Gozis
 Tachypus Dejean

A. alaskanum Wickham AK YK NT - - - - - - - - - -
 A. yukonense Wickham AK YK - BC AB - - - - - - - - - -

Genus BEMBIDION Latreille

(Subgenus CHRYSOBRACTEON Netolitzky)
 (Parabracteon Notman)

B. alaskense Lindroth AK - - - - - - - - - - - - - -
 B. balli Lindroth - - - - AB SK - - - - - - - - - -
 B. carinula Chaudoir - YK NT BC AB SK MB ON PQ - - - LB NF
 tuberculatum Notman
 B. colvillense Lindroth AK - - - - - - - - - - - - - -
 B. foveum Motschulsky* AK YK NT BC - SK MB - - - - - - - -
 bryanti Carr

B. brachythorax Lindroth*	AK	YK	NT	BC	-	-	-	-	-	-	-	-	-	-
B. complanulum (Mannerheim) parvulum Notman	AK	-	-	BC	AB	-	-	-	-	-	-	-	-	-
B. compressum Lindroth*	AK	YK	NT	-	-	-	-	-	-	-	-	-	-	-
B. farrarae Hatch	AK	-	-	BC	-	-	-	-	-	-	-	-	-	-
B. haruspex Casey	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
B. incertum (Motschulsky) ampliatum Casey blanditum Casey ?breve (Motschulsky) improvisum Casey lividulum Casey saturatum Casey testatum Casey tetraglyptum (Mannerheim)	AK	YK	?	BC	AB	-	-	-	-	-	-	-	-	-
B. manningense Lindroth ochropus Lindroth	AK	YK	NT	BC	AB	-	-	-	-	-	-	-	-	-
B. occultator Notman	AK	-	-	-	AB	SK	-	ON	PQ	NB	NS	-	LB	NF
B. quadrifoveolatum Mannerheim illex Casey	AK	YK	-	BC	AB	-	-	-	-	-	-	-	-	-
B. rosslandicum Lindroth	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-
B. viator Casey	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
(Subgenus PLATAPHUS Motschulsky)														
(Melomalus Casey)														
(Micromelomalus Casey)														
(Trachelonepha Casey)														
B. basicorne Notman	-	-	-	-	-	-	-	-	PQ	-	-	-	-	-
B. carolinense Casey keeneanum Casey	-	-	-	-	-	-	-	-	PQ	NB	NS	-	-	NF
B. curtulatum Casey decrepitum Casey effetum Casey flebile Casey timefactum Casey	AK	YK	-	BC	AB	-	-	-	-	-	-	-	-	-
B. gebleri turbatum Casey conflictum Casey	-	YK	-	BC	AB	-	-	-	-	-	-	-	-	-
B. gordonii Lindroth	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
B. gratiosum Casey pallidum Hatch	AK	YK	-	BC	AB	-	-	-	-	-	-	-	-	-
B. hyperboreaorum Munster*	AK	YK	NT	-	-	-	-	-	-	-	-	-	-	-
B. kalumae Lindroth	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
B. planatum (LeConte) adjutor Casey aequalis (Walker) solutum Casey	AK	YK	NT	BC	AB	-	-	ON	PQ	-	NS	-	-	NF
B. planiusculum Mannerheim	AK	-	-	BC	-	-	-	-	-	-	-	-	-	-
B. rufinum Lindroth	AK	YK	-	BC	AB	-	-	-	-	-	-	-	-	-
B. rusticum lenensoides Lindroth	AK	YK	-	BC	-	-	-	-	-	-	-	-	-	-
B. rusticum rusticum Casey notmani Casey	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	LB	NF
B. sierricola Casey	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
B. stillaguamish Hatch	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
B. sulcipenne hyperboroides Lindroth	AK	YK	-	BC	-	-	-	-	-	-	-	-	-	-
B. sulcipenne prasinooides Lindroth	-	-	-	BC	AB	-	MB	-	PQ	-	-	-	LB	NF
(Subgenus BLEPHAROPLATAPHUS Netolitzky)														
B. hastii C.R.Sahlberg*	AK	YK	NT	BC	-	-	MB	ON	PQ	-	-	-	LB	-
(Subgenus TRICHOPLATAPHUS Netolitzky)														
B. planum (Haldeman) filicorne Casey guexii Chaudoir vulsum Casey	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	-
B. rolandi Fall	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-

(Subgenus HIRMOPLATAPHUS Netolitzky)

B. concolor (Kirby)	AK	YK	NT	BC	AB	SK	MB	ON	PQ	NB	NS	-	-	NF
longulum (LeConte)														
subaeneum (LeConte)														
B. nigrum Say	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	-
facile Casey														
morosum Casey														
B. quadrulum LeConte	-	YK	-	BC	AB	-	-	-	-	-	-	-	-	-
aegrotum Casey														
callidum Casey														
porrectum Casey														
tartareum Casey														
tritum Casey														
viridinigrum Casey														
B. reticulole LeConte	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-
oblatum Casey														
pertinax Casey														
tetragonoderum Chaudoir														
umbraticola Casey														
B. salebratum (LeConte)	-	-	NT	BC	AB	SK	MB	ON	PQ	NB	NS	-	-	NF
consessor Casey														
inopinum Casey														
mackinacense Hatch														
purpurascens (LeConte)														

(Subgenus HYDRIOMICRUS Casey)

B. quadratum Notman	-	-	-	-	-	-	-	-	PQ	NB	NS	-	-	NF
proximum Notman														
B. semistriatum (Haldeman)	-	-	-	-	-	-	-	ON	PQ	-	NS	-	-	-

(Subgenus BEMBIDIONETOLITZKYA Strand)
(Daniela Netolitzky)

B. mckinleyi carneum Lindroth	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-
B. mckinleyi mckinleyi Fall	AK	YK	-	-	-	-	-	-	-	-	-	-	-	-

Incertae sedis

B. lenae Csiki*	AK	YK	NT	-	-	-	-	-	-	-	-	-	-	-
intermedium Poppius														

Incertae sedis

B. commotum Casey	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-
seclusum Casey														
B. nebraskense LeConte	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-
denveranum Casey														
govanicum Casey														
tractabile Casey														

Incertae sedis

B. actuosum Casey	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-
debilicolle Casey														
urgens Casey														
B. nevadense Ulke	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
viaticum Casey														
B. plagiatum (Zimmermann)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
B. striola (LeConte)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
angustior Casey														
modulatum Casey														
shastanicum Casey														
vancouveri Casey														

(Subgenus PERYPHANES Jeannel)

sarpedon Casey
tuolumnae Casey

Incertae sedis

B. scopulinum (Kirby)* AK YK NT BC AB SK MB ON PQ NB NS - LB NF
bellulum Casey
gelidum (LeConte)

(Subgenus LIOCOSMIUS Casey)

B. mundum (LeConte) - - - BC - - - - - - - -
bifasciatum (Motschulsky)
hilare Casey

(Subgenus PERYPHODES Casey)

B. ephippigerum (LeConte) - - - BC - - - - - - - -
B. salinarium Casey - - - BC AB SK MB - - - - - -

Incertae sedis

B. constricticollae Hayward - - - - AB - - - - - - - -
B. nudipenne Lindroth - - - - AB SK MB - - - - - -

(Subgenus EUPETEDROMUS Netolitzky)

B. graciliforme Hayward - - - - - - - ON PQ - - - - -
B. immaturum Lindroth - - - - - - - ON PQ NB NS - - NF
B. incrematum LeConte AK YK NT BC AB SK MB ON PQ NB NS - LB NF
arcuatum LeConte
fortunatum Casey
gulosum Casey
lengi Notman
mobile Casey
nubiferum Casey
oblectans Casey
semotum Casey

(Subgenus LEUCHYDRIUM Casey)

B. tigrinum LeConte - - - BC - - - - - - - -

Incertae sedis

B. consimile Hayward - - - - AB SK MB - - - - - -
B. flohri Bates - - - BC AB SK MB - - - - - -
henshawi Hayward
B. obtusidens Fall - - - - AB SK MB - - - - - -
B. scudderi LeConte - - - BC AB SK MB - - - - - -
spissicorne Casey

Incertae sedis

B. dejectum Casey - - - - AB SK MB - - - - - -
aberti Hatch
fidele Casey
tencenti Hatch
B. mormon Hayward - - - BC - - - - - - - -
B. obtusangulum LeConte - - - BC AB SK MB - - - - - -
cornix Casey

(Subgenus NOTAPHUS Stephens)

B. aeneicollae (LeConte) - - NT BC AB SK MB - - - - - -
B. castor Lindroth - - - - AB SK MB ON PQ NB NS - - NF
B. coloradense Hayward - - NT BC AB SK MB - - - - - -
albertanum Casey

servus (Casey)														
E. vernicatus (Casey)	-	-	-	-	-	SK	MB	ON	PQ	-	-	-	-	-
laetificus (Casey)														
unionis (Csiki)														
E. vivax (LeConte)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
mendax (LeConte)														
E. xanthopus (Dejean)	-	-	-	-	-	-	-	ON	-	-	NS	-	-	-
ancilla (Casey)														
famelicus (Casey)														
laxipennis (Casey)														

Genus TACHYTA Kirby
Key to species: Erwin (1975)

T. angulata Casey	-	YK	-	BC	AB	SK	MB	ON	PQ	NB	NS	-	-	-
T. falli (Hayward)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
T. nana inornata (Say)	-	-	-	BC	-	-	-	ON	PQ	-	-	-	-	-
arizonica Casey														
californica Casey														
collaris Casey														
debilicollis Casey														
picipes Kirby														
rivularis (Motschulsky)														
T. nana kirbyi Casey	-	-	-	BC	AB	-	-	ON	PQ	-	-	-	-	-

Genus POROTACHYS Netolitzky

P. bisulcatus (Nicolai)+ frontalis (Hayward)	-	-	-	-	-	-	-	ON	PQ	NB	-	-	-	-
---	---	---	---	---	---	---	---	----	----	----	---	---	---	---

Genus POLYDERIS Motschulsky
Microtachys Casey

P. laevis (Say)	-	-	-	-	-	-	-	ON	PQ	-	NS	-	-	-
congesta (Casey)														
fluminalis (Casey)														
recta (Casey)														
troglodytes (Dejean)														
unistriata (Casey)														
unistriolata (Csiki)														

Genus TACHYS Stephens
Isotachys Casey

T. bryanti Lindroth	-	-	-	-	AB	-	-	-	-	-	-	-	-	-
T. halophilus Lindroth	-	-	-	-	AB	SK	MB	-	-	-	-	-	-	-
T. vittiger LeConte marginellus LeConte	-	-	-	BC	-	-	-	-	-	-	-	-	-	-

Genus PARATACHYS Casey

P. edax (LeConte)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
P. oblitus (Casey)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
appalachius (Casey)														
cuneatus (Casey)														
gentilis (Casey)														
iowensis (Casey)														
obliquus (Casey)														
P. proximus (Say)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
nubifer (Casey)														
P. rhodeanus (Casey)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
P. scitulus (LeConte) pallascens (Casey)	-	-	-	-	-	-	-	ON	PQ	NB	-	-	-	-

pallidiusculus (Csiki)

Genus MIOPTACHYS Bates
Tachymeris Motschulsky

M. flavicauda (Say) - - - BC AB - - ON PQ - - - - -
marginicollis (Motschulsky)
reflexicollis (Motschulsky)

Tribe Nomiini

Genus NOMIUS Castelnau
Haplochile LeConte

N. pygmaeus (Dejean) - - - BC AB - MB ON PQ - - - - -

Genus PSYDRUS LeConte
Monillopatrobus Hatch

P. piceus LeConte - - - BC AB SK MB ON PQ - - - - -
punctatus (Hatch)

Tribe Patrobini

Genus PLATYPATROBUS Darlington

P. lacustris Darlington - - NT - AB SK MB ON PQ NB - - - -

Genus PATROBUS Dejean
Geopatrobis Darlington
Neopatrobis Darlington

P. fossifrons (Eschscholtz)* AK - - BC AB - - - - - - - -
dimorphicus Darlington
fulvus Mannerheim
latiusculus Chaudoir
longiventris Mannerheim
P. foveocollis (Eschscholtz)* AK YK NT BC AB SK MB ON PQ - - - LB NF
angusticollis Mannerheim
insularis Casey
laeviceps Casey
obtusiusculus Chaudoir
tenuis (LeConte)
P. lecontei Chaudoir - - - BC AB SK MB - PQ NB - - - NF
canadensis Casey
gravidus Darlington
rufipes LeConte
P. longicornis (Say) - - NT BC AB SK MB ON PQ NB NS - - NF
americanus Dejean
P. septentrionis Dejean* AK YK NT BC AB - MB ON PQ - - - LB NF
hyperboreus Dejean
labradorinus Casey
minuens Casey
tritus Casey
P. stygicus Chaudoir AK YK NT BC AB SK MB ON PQ - - - LB NF

Genus DIPLOUS Motschulsky
Platidius Chaudoir

D. aterrimus (Dejean) AK YK - BC AB - - - - - - - -

Tribe Zabrini

Genus DISAMARA Lindroth
Pseudamara Lindroth

D. arenaria (LeConte) - - - - - ON PQ NB NS - - -

Genus AMARA Bonelli

(Subgenus CURTONOTUS Stephens)
(Leirus Zimmermann)

A. alpina (Paykull)* AK YK NT BC AB - MB ON PQ - - - LB NF
alaskana Csiki
angustata J.Sahlberg
arguta (Casey)
borealis (Chaudoir)
brunnipennis Dejean
deficiens (Casey)
inanis (Casey)
obtusa LeConte
rubripennis (Casey)
subtilis (Casey)
A. aulica (Panzer)+ - - - - - PQ NB NS - - NF
A. blanchardi Hayward - - - BC - - - - - - -
A. bokori Csiki* AK YK NT BC - - MB - - - - -
sahlbergi Poppius
A. carinata (LeConte) - - - BC AB SK MB ON PQ NB - - -
adstricta (Putzeys)
catenulata (Casey)
gilvipes (Casey)
laticollis (LeConte)
A. hyperborea Dejean* AK YK NT BC AB SK MB ON PQ - - - LB NF
canadensis (Putzeys)
elongata (LeConte)
imperfecta (W.J.Brown)
tristis (Putzeys)
A. lacustris LeConte AK YK NT BC AB SK MB ON - - - - -
manitobensis (Casey)
A. pennsylvanica Hayward - - - - - ON PQ - NS - - -
fulvipes (Putzeys)
A. thoracica Hayward - - - BC AB SK - - - - -
A. torrida (Panzer)* AK YK NT BC AB SK MB ON PQ NB NS PE LB NF
albertana (Casey)
biarcuata (Casey)
brevilabris (Kirby)
brevipennis (Casey)
consueta Fall
cylindrica LeConte
dura (Casey)
holmbergi (Putzeys)
hudsonica Hayward
labradorensis (Casey)
melanogastrica Dejean
reflexa (Putzeys)
rufimana (Kirby)
scrutata (Casey)
somnolenta (Putzeys)

(Subgenus BRADYTUS Stephens)
(Pseudobradytus Csiki)

A. apricaria (Paykull)+ - - - BC AB SK MB ON PQ NB NS - LB NF
putzeysiana Csiki
putzeysii Horn
A. avida (Say) - - - BC AB SK MB ON PQ NB NS PE - NF

zabroides LeConte

Genus HARPALOBACHYS Tschitschérine

H. leiroides (Motschulsky)* AK - NT - AB - - - - - - - - - -

Genus HARPALUS Latreille

(Subgenus OPHONUS Dejean)

H. puncticeps (Stephens)+ - - - - - - - ON PQ - NS - - - -

H. rufibarbis (Fabricius)+ - - - - - - - - PQ - - - - -

(Subgenus PSEUDOPHONUS Motschulsky)

Key to North American species: Ball & Anderson (1962)

H. bicolor (Fabricius) - - - - - - MB ON PQ - NS - - - -

admissus Casey

compar LeConte

excubans Casey

feroculus Casey

nactus Casey

H. erythropus Dejean - - - - - - MB ON PQ - NS - - - -

abstrusus Casey

cupiens Casey

deludens Casey

effetus Casey

fenisex Casey

rufopiceus Casey

H. faunus Say - - - - - - MB ON PQ - - - - -

badius Dejean

convivus LeConte

H. longicollis LeConte - - - - - - ON PQ - - - - -

dolosus Casey

haldemani Casey

latescans Casey

vagans LeConte

H. paratus Casey - - - - AB SK - - - - -

spaldingi Casey

H. pennsylvanicus (DeGeer) - - - BC - SK MB ON PQ NB NS PE - -

inmixtus Casey

longior Kirby

mormonicus Casey

H. rufipes (DeGeer)+ - - - - - - - - PQ NB NS PE - NF

(Subgenus MEGAPANGUS Casey)

H. caliginosus (Fabricius) - - - - - - MB ON PQ - - - - -

dux Casey

(Subgenus PLECTRALIDUS Casey)

Key to species: El-Moursy (1958)

H. erraticus Say - - - - - - MB ON PQ - - - - -

caudalis Casey

(Subgenus PHARALUS Casey)

H. indianus Csiki - - - - - - ON - - - - -

testaceus LeConte

(Subgenus HARPALUS s.str.)

H. affinis (Schrank)+ - - - BC AB - - ON PQ NB NS PE LB NF

aenescens Casey

aeneus (Fabricius)

assimilis Dejean
 canonicus Casey
 convictor Casey
 lustralis Casey
 viridiaeneus Palisot de Beauvois
 viridis Say

(Subgenus HARPALOMERUS Casey)

H. amputatus Say AK YK NT BC AB SK MB - - - - -
 ancillaris Casey
 bracatus Casey
 cuculus Casey
 cupreolatus Casey
 papagonalis Casey
 rotundicollis Kirby
 stephensi Kirby
 transversus Casey

(Subgenus EUHARPALOPS Casey)

H. animosus Casey - - - BC AB SK - - - - -
 montanus LeConte
 montuosus Csiki
 H. egregius Casey AK YK NT BC AB SK MB ON PQ - NS - LB NF
 alienus LeConte
 baergi Csiki
 cascadiensis Hatch
 instructus Casey
 rufimanus LeConte
 H. fraternus LeConte - - - BC AB - - - - -
 nimius Casey
 occidentalis Chaudoir
 praestans Casey
 wadei (Casey)
 H. funerarius Csiki - - - - AB SK MB ON PQ - - - - -
 funestus LeConte
 reversus Casey
 H. hoppingi Lindroth - - - BC - - - - - - -
 H. laticeps LeConte AK YK NT BC AB SK MB ON PQ NB NS - LB NF
 solutus Casey
 H. lewisii LeConte - - NT - AB SK MB ON PQ NB NS - - -
 aesopus Casey
 H. viduus LeConte - - - - - - - ON PQ - - - - -
 providens Casey

Incertae sedis

H. indigenus Casey - - - - - - - ON PQ NB - - - -
 beatulus Casey
 piperi (Casey)
 H. ventralis LeConte - - - - AB SK MB - - - - - - -
 electus Casey

Incertae sedis

H. fulvilabris Mannerheim AK YK NT BC AB SK MB ON PQ NB NS - LB NF
 H. megacephalus LeConte - - - - - - MB ON - - - - -

(Subgenus CORDOHARPALUS Hatch)

H. cordifer Notman AK - - BC - - - - - - -
 washingtoniensis Van Dyke

Incertae sedis

H. carbonatus LeConte - - NT BC AB SK - - - - - - -
 H. fallax LeConte - - - - - - - ON PQ NB NS - - -

metuens Casey
vacivus Casey

Incertae sedis

H. fulgens Csiki - - - - - ON - - - - -
nitidulus Chaudoir

Genus HARPALELLUS Lindroth

H. basilaris (Kirby) AK YK NT BC AB SK MB ON PQ - NS - - -
durescans (Casey)
extensus (Walker)
furviculus (Casey)
obesulus (LeConte)
oblongus (Casey)
renoicus (Casey)
sejunctus (Casey)
stocktonensis (Casey)
subnormis (Casey)
varicornis (LeConte)
ventricosus (Casey)

Genus TRICHOTICHNUS Morawitz

(Subgenus TRICHOTICHNUS s.str.)
(Episcopellus Casey)
(Pteropalus Casey)

T. autumnalis (Say) - - - - - ON - - - - -
nitescens (Casey)
T. dichrous (Dejean) - - - - - ON - - - - -
fluvialis (Casey)
versutulus (Casey)
T. vulpeculus (Say) - - - - - ON PQ - - - - -
nigripennis (Dejean)

Genus SELENOPHORUS Dejean

(Subgenus SELENOPHORUS s.str.)
(Gynandropus Dejean)
(Hemisopalus Casey)

S. gagatinus Dejean - - - - - ON PQ - - - - -
maurus Haldeman
viridescens LeConte
S. hylacis (Say) - - - - - ON - - - - -
americanus (Dejean)
S. opalinus (LeConte) - - - - - ON PQ - - - - -
iripennis LeConte
S. pedicularius Dejean - - - - - ON - - - - -
aereus LeConte
puellus Putzeys
troglodytes Dejean
S. planipennis LeConte - - - BC AB SK MB ON - - - - -

(Subgenus CELIAMORPHUS Casey)

S. ellipticus Dejean - - - - - ON - - - - -
currens (Casey)
opaculus (Casey)
ovalis Dejean

Genus DISCODERUS LeConte

sodalis Casey
villosus Motschulsky

Genus XESTONOTUS LeConte

X. lugubris (Dejean) - - - - - - - ON PQ - NS - - -
manhattanis (Casey)
tioganus (Casey)

Genus NOTOBIA Perty

(Subgenus ANISOTARSUS Chaudoir)
(Diaphoromerus Chaudoir)
(Eurytrichus LeConte)
(Stilboldus Casey)

Key to North American species: Noonan (1973)

N. nitidipennis (LeConte) - - - - - - - ON PQ - - - - -
agitabilis (Casey)
cephala (Casey)
conspecta (Casey)
delicata (Casey)
tenuitarsis (Casey)
N. picea (LeConte) - - - - - - - ON PQ - - - - -
sayi (Blatchley)
N. terminata (Say) - - - - - - - ON PQ NB NS - - -
agilis (Dejean)
angusticollis (Casey)
connivens (Casey)
floridana (Casey)
foveicollis (Bates)
fuscipennis (Casey)
hebes (Casey)
inerrans (Casey)
ocreata (Say)
parallela (Casey)
similis (Say)
subovalis (Casey)
subvirens (Casey)
testacea (Haldeman)
vernicata (Casey)

Genus TRICHOCELLUS Ganglbauer

(Subgenus TRICHOCELLUS s.str.)

T. cognatus (Gyllenhal)* AK YK NT BC AB SK MB ON PQ NB NS - LB NF
axillaris (Mannerheim)
boreellus Casey
conflagratus (Mannerheim)
lateralis Casey
longiusculus (Mannerheim)
monticola Casey
nitens (LeConte)
punctipennis Casey
ruficrus (Kirby)

(Subgenus OREOXENUS Tschitschérine)

T. mannerheimii (R.F.Sahlberg)* AK YK NT BC - - MB - PQ - - - - -
porsildi W.J.Brown

Genus AMERINUS Casey

A. linearis (LeConte)	-	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
Genus BRADYCELLUS Erichson															
(Subgenus LIOCELLUS Motschulsky)															
(Glycerius Casey)															
B. politus (Fall)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-
(Subgenus BRADYCELLUS s. str.)															
B. harpalinus (Audinet-Serville)+	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-
(Subgenus CATHARELLUS Casey)															
B. lecontei Csiki cordicollis (LeConte)	AK	YK	NT	BC	AB	SK	MB	ON	PQ	NB	NS	-	LB	NF	
(Subgenus STENOCELLUS Casey)															
B. congener (LeConte) alutaceus (Casey)	-	-	-	BC	AB	SK	MB	ON	PQ	-	-	-	-	-	-
B. nigerrimus Lindroth	-	-	-	-	AB	SK	-	-	-	-	-	-	-	-	-
B. nubifer LeConte nubicollis (Casey) ventralis LeConte	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-	-
B. rupestris (Say) antennalis (Casey) ?cinctus (Say) ?debilipes (Say) elongatulus (Dejean) flavipes (Kirby) parallelus Chaudoir	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	-	-
Incertae sedis															
B. insulsus (Casey)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-	-
B. neglectus (LeConte)	-	-	-	BC	AB	SK	MB	ON	PQ	NB	NS	-	-	NF	-
B. nigriceps LeConte occultus (Casey)	-	-	-	-	-	-	MB	ON	PQ	-	-	-	-	-	-
Incertae sedis															
B. californicus (LeConte)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-
B. tantillus (Dejean) difficilis (Dejean)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-	-
(Subgenus LIOCELLUS Tschitschérine)															
B. nigrinus (Dejean) quadricollis (LeConte) tibialis (Kirby)	AK	-	-	BC	AB	SK	MB	ON	PQ	NB	NS	-	-	NF	-
B. semipubescens Lindroth	-	-	-	-	AB	-	-	ON	PQ	NB	-	-	-	-	-
(Subgenus TRILIARTHURUS Casey)															
B. atrimeus (Say)	-	-	-	-	-	-	MB	ON	PQ	NB	-	-	-	-	-
B. badipennis (Haldeman) curticollis (Casey) properus (Casey)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-	-
B. conformis (Fall) tetricus (Casey)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-
B. georgei Lindroth	-	-	-	-	AB	-	-	-	-	-	-	-	-	-	-
B. kirbyi (Horn)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-	-
B. lugubris (LeConte) frosti (Fall)	-	-	-	-	AB	-	MB	ON	PQ	NB	NS	-	-	NF	-

protractus (Casey)

Genus STENOLOPHUS Stephens

(Subgenus STENOLOPHUS s.str.)

S. anceps LeConte	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
fidelis Casey														
rotundicollis Motschulsky														
S. carbonarius (Dejean)	-	-	-	-	-	-	-	ON	-	-	NS	-	-	-
S. fuliginosus Dejean	-	-	-	BC	AB	SK	MB	ON	PQ	NB	NS	PE	-	NF
fuscipennis (LeConte)														
versicolor Kirby														
S. fuscatus Dejean	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
S. humidus Hamilton	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
S. incultus Casey	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
consors Casey														
debiliceps Casey														
S. limbalis LeConte	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
indistinctus Motschulsky														
longitarsis Casey														
S. megacephalus Lindroth	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
S. ochropezus (Say)	-	-	-	-	-	-	MB	ON	PQ	NB	NS	-	-	-
convexicollis LeConte														
floridanus Casey														
?gracilis Casey														
testaceicollis Casey														
S. plebejus Dejean	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
?lugubris (Haldeman)														
rivularis Casey														

(Subgenus AGONODERUS Dejean)

S. comma (Fabricius)	-	-	-	BC	AB	SK	MB	ON	PQ	NB	-	-	-	NF
dorsalis (LeConte)														
gracilitarsis Casey														
obliquus Casey														
similis (Kirby)														
S. lecontei (Chaudoir)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
plagiatus Casey														
S. lineola (Fabricius)	-	-	-	-	AB	SK	MB	ON	PQ	-	-	PE	-	-
furcatus (Fabricius)														

Incertae sedis

S. conjunctus (Say)	-	-	-	BC	AB	SK	MB	ON	PQ	NB	NS	PE	-	-
captiosus Casey														
humilis (Dejean)														
immunis (Kirby)														
misellus (Dejean)														
moquinus Casey														
thoracicus Casey														
S. rotundatus LeConte	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
S. rotundicollis (Haldeman)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
incitatus Casey														
scitulus Casey														

Genus ACUPALPUS Latreille

(Subgenus PHILODES LeConte)

(Goniolophus Casey)

A. alternans (LeConte)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
testaceus (LeConte)														
A. rectangulus Chaudoir	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-

Tribe Panagaeini

Genus PANAGAEUS Latreille

(Subgenus HOLOGAEUS Ogueta)

P. fasciatus Say - - - - - ON - - - - -

Tribe Callistini

Genus CHLAENIUS Bonelli

Key to North American species: Bell (1960)

(Subgenus EURYDACTYLUS LaFerté-Sénectère)
(Glyptoderus LaFerté-Sénectère)

C. tomentosus tomentosus (Say) - - - - AB SK MB ON PQ - - - - -
amplus LeConte
lacustrinus Casey
luctuosus Germar

(Subgenus ANOMOGLOSSUS Chaudoir)

C. emarginatus Say - - - - - ON PQ NB NS - - - - -
delectans (Casey)
gravis (Casey)
semotus (Casey)
C. pusillus Say - - - - - ON - - - - -
elegantulus Dejean
nanulus (Casey)

(Subgenus CHLAENIUS s.str.)

C. aestivus Say - - - - - ON - - - - -
cobaltinus Dejean
congener LeConte
C. cordicollis Kirby - - - - - MB ON PQ - - - - -
C. erythropus Germar - - - - - ON - - - - -
oblongipennis Casey
rufilabris Dejean
umbritarsis Casey
C. laticollis Say - - - - - ON - - - - -
brachyderus Chaudoir
brevicollis LeConte
rufipes Dejean
C. sericeus sericeus (Forster) - - - BC AB SK MB ON PQ NB NS PE - NF
perviridis LeConte
uteanus Casey
C. solitarius Say - - - - AB - - - - -
chlorophanus Dejean

(Subgenus CHLAENIELLUS Reitter)

C. brevilabris LeConte - - - - - ON - - - - -
?consimilis LeConte
texanellus Casey
C. impunctifrons Say - - - - - MB ON PQ - - - - -
C. nebraskensis LeConte - - - - AB SK - - - - -
sedulus Casey
C. nemoralis Say - - - - - ON - - - - -
longicollis Chaudoir
C. pensylvanicus pensylvanicus Say - - - BC AB SK MB ON PQ NB NS - NF
?fulgiceps Newman
impunctifrons Kirby
pubescens Harris

vicinus Dejean
C. tricolor Dejean - - - BC AB - - ON PQ NB NS - - NF
 atripennis LeConte
 chalybeipennis Chevrolat
 jacinto Casey
 quadricollis Kirby
 vigilans Say

(Subgenus BRACHYLOBUS Chaudoir)

C. lithophilus lithophilus Say - - NT BC AB SK MB ON PQ NB NS - - NF
 smaragdiger Motschulsky
 viridanus Dejean

(Subgenus AGOSTENUS Motschulsky)

C. alternatus Horn AK - NT BC AB SK MB ON PQ NB NS - - NF
 albertanus Casey
C. harpalinus Eschscholtz - - - BC AB - - - - - - - -
 crestonensis W.J.Brown
C. interruptus Horn - - - BC - - - - - - - -
C. niger Randall - - NT BC AB SK MB ON PQ - NS - - NF
 ludovicianus Leng

Incertae sedis

C. purpuricollis Randall - - NT - AB SK MB ON PQ - - - -
 frostii Carr
 punctipennis Casey

Tribe Pentagonicini

Genus PENTAGONICA Schmidt-Goebel
 Didetus LeConte
 Rhombodera Reiche

P. picticornis Bates - - - - - - - ON PQ - - - -

Tribe Perigonini

Genus PERIGONA Castelnau
 Trechicus LeConte

P. nigriceps (Dejean) - - - - - - - ON PQ - - - -
 umbripennis (LeConte)
P. pallipennis (LeConte) - - - - - - - ON - - - -

Tribe Platynini

Genus CALATHUS Bonelli
 Key to North American species: Ball & Nègre (1972)

(Subgenus CALATHUS s. str.)
 (Fuscalathus Nègre)

C. fuscipes (Goeze)+ - - - BC - - - - - - - -

(Subgenus NEOCALATHUS Ball & Nègre)

C. gregarius (Say) - - - - - - - ON PQ - NS - - -
 distinguendus LeConte
C. ingratus Dejean AK YK NT BC AB SK MB ON PQ NB NS PE - NF

cicatricosa Motschulsky	
colonica Casey	
monticola Casey	
S. bogemannii (Gyllenhal)*	AK YK - BC AB - - - - - - - -
invidiosa Casey	
strigicolle (Mannerheim)	
tacoma Casey	
S. obsoleta (Say)	- - NT BC AB SK MB ON PQ NB NS - LB NF
consimile (LeConte)	
insulina Casey	
luctuosa (Dejean)	
vicina (Gemminger & Harold)	
S. quadripunctata (DeGeer)*	AK YK NT BC AB SK MB ON PQ NB NS - LB NF
octocola (Mannerheim)	
stigma (LeConte)	

Genus ANCHOMENUS Bonelli
Tetrалеucus Casey

A. picticornis Newman	- - - - - - - ON - - - - -
-----------------------	----------------------------

Genus PSEUDANCHUS Casey

P. aeneolus (LeConte)	- - - BC AB - - - - - - - -
bjorkmanae Gray & Hatch	
P. quadratus (LeConte)	- - - BC - - - - - - - -
dilleyanus (Casey)	
metuens (Casey)	

Genus ATRANUS LeConte

A. pubescens (Dejean)	- - - - - - - ON PQ NB - - - -
obconicus (Haldeman)	
pallescens Casey	

Genus RHADINE LeConte
Comstockia Van Dyke

R. lindrothi Barr	- - - - AB SK - - - - - - - -
-------------------	-------------------------------

Genus PARANCHUS Lindroth

P. albipes (Fabricius)+	- - - - - - - - - - NB NS - - NF
clemens (LeConte)	

Genus OXYPSELAPHUS Chaudoir
Anchus LeConte

A. puncticeps (Casey)	- - - BC - SK MB ON PQ - NS PE - -
pusillus (LeConte)	

Genus AGONUM Bonelli

(Subgenus EUROPHILUS Chaudoir)

A. anchomenoides Randall	AK - NT BC AB SK MB ON PQ NB - - - NF
lanellum Gray	
A. canadense Goulet	- - - - - - MB ON PQ NB NS - - -
A. consimile (Gyllenhal)*	AK YK NT BC AB - MB ON PQ - NS - LB NF
fragile (Mannerheim)	
invalidum Casey	

A. variolatum (LeConte) - - - BC - - - - - - - - -
 coronadinum (Casey)
 ?limbatum Motschulsky
 shastanicum (Casey)

(Subgenus CIRCINALIA Casey)

A. crenistriatum (LeConte) - - - - - - - ON PQ - NS - - -
 liticola (Casey)
 politissimum (Casey)
 roticolle (Casey)
 statenense (Casey)
 A. punctiforme (Say) - - - - - - - ? - - - - -
 foveicolle Chaudoir
 ludovicianum (Casey)
 A. rufipes Dejean - - - - - - - ON - - - - -
 rubripes (Zimmermann)

(Subgenus STEREAGONUM Casey)

A. errans (Say) - - - BC AB SK MB ON PQ - - - - -
 erythropus Kirby
 subcordatum (LeConte)
 A. ferreum Haldeman - - - - - - - ON - - - - -
 ocreatum Haldeman
 quadrulum (Casey)
 solidulum (Casey)

(Subgenus STICTANCHUS Casey)

Key to species: Liebherr (1986)

A. decorum (Say) - - - BC - SK MB ON PQ - - - - -
 arenarium (Casey)
 californicum (Dejean)
 charmis (Bates)
 hornii (Hausen)
 impictum (Casey)
 irruptum (Casey)
 luxatum (Casey)
 obscurum (LeConte)
 simplex (LeConte)
 solutum (Casey)
 syracusense (Hatch)
 tepidum (Casey)
 testaceonotum (Hausen)
 thoracicum (Dejean)
 uteanum (Casey)
 vinnulum (Casey)
 A. extensicolle (Say) - - - - - SK MB ON PQ NB NS - - -
 clientulum (Casey)
 ?cyanescens (Motschulsky)
 gaudens (Casey)
 lecontei LeConte
 obscuratum (Chaudoir)
 proximum (Harris)
 vigilans (Casey)
 viride (LeConte)

(Subgenus DERATANCHUS Casey)

A. quadrimaculatum (Horn) - - - - AB - - - - - - - - -

Genus PLATYNUS Bonelli

(Subgenus PLATYNUS s.str.)

P. brunneomarginatus (Mannerheim) - - - BC - - - - - - - - -

Tribe Masoreini

Genus TETRAGONODERUS Dejean

T. fasciatus (Haldeman) - - - - - ON - - - - -
 undulatus LeConte

Tribe Lebiini

Genus LEBIA Latreille

Key to North American species: Madge (1967)

(Subgenus LOXOPEZA Chaudoir)

L. atriceps LeConte - - - - AB SK MB - - - - -
 nanulina (Casey)
 L. atriventris Say - - - - - SK MB ON PQ - - - - -
 enormis (Casey)
 L. grandis Hentz - - - - - - - ON PQ - - - - -
 magister (Casey)
 majuscula (Chaudoir)
 rivularis (Casey)
 L. tricolor Say - - - - - - - ON PQ - - - - -

(Subgenus LAMPRIAS Bonelli)

L. divisa LeConte - - - - AB SK MB - - - - -
 concinna LeConte

(Subgenus LEBIA s.str.)
 (Aphelogenia Chaudoir)
 (Dianchomena Chaudoir)
 (Metabola Chaudoir)

L. analis Dejean - - - - - ON - - - - -
 anchora Chevrolat
 appendiculata Chaudoir
 bonellii Putzeys
 ?subfigurata Motschulsky
 L. cyanipennis Dejean - - - BC AB SK - - - - -
 barbarae Casey
 montana Horn
 melaena Hatch
 ruficollis LeConte
 L. fuscata Dejean - - - BC - - MB ON PQ NB NS PE - -
 canonica Casey
 L. guttula LeConte - - - BC - - - - - - - - -
 metuens Casey
 pacifica Casey
 L. lobulata LeConte - - - - - - - ON - - - - -
 ?brunnicollis Motschulsky
 L. moesta LeConte - - - BC AB SK MB ON PQ NB NS - LB NF
 cynica Casey
 L. ornata Say - - - - - - - ON PQ - - - - -
 ?apicalis (Haldeman)
 ashevillensis Casey
 axillaris Dejean
 brunnea Haldeman
 erythrocephala Dejean
 flaviventris Motschulsky
 fluviatilis Casey
 frigida Chaudoir
 marginella Dejean
 nigripennis Dejean
 reperta Casey

borealis Castelnau
caseyi Leng
caseyi Liebke
cordicollis Chaudoir
cyanipennis Dejean
intermedia Casey
occipitalis Casey
thoracica Casey