

<i>P. pusilla</i> (Say)	AK	YT	NT	BC	AB	SK	MB	ON	PQ	NB	NS	-	LB	NF
<i>pyritosa</i> (LeConte)														
<i>rugifrons</i> (Newman)														
<i>P. robusta</i> (Schaeffer)	-	-	NT	BC	AB	SK	MB	ON	PQ	-	-	-	-	-
<i>P. rufa</i> (Say)	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	-
<i>affinis</i> (Kirby)														
<i>jucunda</i> (LeConte)														
<i>kirbyi</i> (Lacordaire)														
<i>sulcicollis</i> (Lacordaire)														

Genus DONACIELLA Reitter

<i>D. pubicollis</i> (Suffrian)	-	-	-	-	AB	SK	MB	ON	-	-	-	-	-	-
---------------------------------	---	---	---	---	----	----	----	----	---	---	---	---	---	---

Genus DONACIA Fabricius

(Subgenus DONACIA s. str.)

Key to North American species: Marx (1957)

<i>D. cincticornis</i> Newman	-	-	-	-	-	-	MB	ON	PQ	-	NS	-	-	-
<i>antillarum</i> Suffrian														
<i>lucida</i> Lacordaire														
<i>pulchella</i> LeConte														
<i>rufipennis</i> Lacordaire														
<i>tenuis</i> Schaeffer														
<i>tryphera</i> Schaeffer														
<i>D. palmata</i> Olivier	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	-
<i>angustipes</i> Marx														
<i>claudicans</i> Germar														
<i>D. parvidens</i> Schaeffer	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>D. piscatrix</i> Lacordaire	-	-	-	-	-	-	MB	ON	PQ	NB	-	-	-	-
<i>alutacea</i> LeConte														
<i>carolina</i> Lacordaire														
<i>congener</i> LeConte														
<i>cuprea</i> Melsheimer														
<i>D. proxima</i> Kirby	-	-	NT	BC	AB	SK	MB	ON	PQ	NB	NS	-	-	NF
<i>californica</i> LeConte														
<i>episcopalis</i> Lacordaire														
<i>D. rufescens</i> Lacordaire	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
<i>D. texana</i> Crotch	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>minor</i> Schaeffer														

(Subgenus DONACIOMIMA Medvedev)

<i>D. biimpresa</i> Melsheimer	-	-	-	-	-	-	MB	ON	PQ	-	-	-	-	-
<i>aurichalcea</i> Melsheimer														
<i>torosa</i> LeConte														
<i>D. caerulea</i> Olivier	-	-	-	-	-	-	MB	ON	PQ	NB	-	-	-	-
<i>aequalis</i> Say														
<i>confusa</i> Lacordaire														
<i>confusa</i> LeConte														
<i>D. canadensis</i> Askevold	-	-	-	-	AB	SK	MB	ON	PQ	-	-	-	-	-
<i>D. cazieri</i> Marx	-	-	NT	BC	AB	-	-	ON	PQ	-	-	-	LB	-
<i>D. confluenta</i> Say	-	-	-	BC	AB	SK	MB	ON	PQ	-	-	-	-	-
<i>D. cuprea</i> Melsheimer	-	-	-	-	-	SK	-	ON	PQ	-	-	-	-	-

curticollis Knab																				
D. distincta LeConte	AK	YT	NT	BC	AB	SK	MB	ON	PQ	-	-	-	-	-	-	-	-	-	LB	NF
occidentalis Mead																				
D. fulgens LeConte	-	-	-	-	-	SK	MB	ON	PQ	NB	NS	PE	-	-	-	-	-	-	-	-
D. hirticollis Kirby	AK	YT	NT	BC	AB	SK	MB	ON	PQ	NB	NS	-	-	-	-	-	-	-	LB	NF
rudicollis Lacordaire																				
D. limonia Schaeffer	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-	-	-	-	-	-	-
D. magnifica LeConte	-	-	-	BC	AB	SK	MB	ON	PQ	NB	-	-	-	-	-	-	-	-	-	-
D. megacornis Blatchley	-	-	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	-
megalocera Weise																				
D. porosicollis Lacordaire	-	-	NT	BC	AB	SK	MB	ON	-	-	-	-	-	-	-	-	-	-	-	-
D. pubescens LeConte	-	-	-	BC	AB	SK	MB	ON	PQ	-	-	-	-	-	-	-	-	-	-	-
D. rugosa LeConte	-	-	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-	-
D. subtilis Kunze	-	-	-	BC	AB	SK	MB	ON	PQ	-	NS	-	-	-	-	-	-	-	-	-
aenea Ahrens																				
aerea Lacordaire																				
magistrigata Mead																				
quadricollis Say																				
D. tuberculifrons Schaeffer	-	-	-	BC	-	-	MB	ON	PQ	NB	-	-	-	-	-	-	-	-	-	-

Genus NEOHAEMONIA Székessy

Key to North American species: Askevold (1988)

N. flagellata Askevold	-	-	-	-	AB	SK	MB	ON	-	-	-	-	-	-	-	-	-	-	-	-
N. melsheimeri (Lacordaire)	-	-	-	-	-	-	MB	ON	PQ	-	-	-	-	-	-	-	-	-	-	-
N. minnesotensis Askevold	-	-	-	-	-	-	MB	ON	-	-	-	-	-	-	-	-	-	-	-	-
N. nigricornis (Kirby)	-	-	-	BC	-	-	MB	ON	PQ	-	-	-	-	-	-	-	-	-	-	-
americana (Guérin-Méneville)																				

Subfamily ORSODACNINAE

Genus ORSODACNE Latreille

Orsodacna Dejean

O. atra (Ahrens)	-	-	-	BC	AB	SK	MB	ON	PQ	NB	NS	-	-	-	-	-	-	-	-	-
armeniaca Germar																				
childreni Kirby																				
hepatica Say																				
inconstans Newman																				
luctuosa Lacordaire																				
ruficollis Newman																				
tibialis Kirby																				
tricolor Melsheimer																				
trivittata Lacordaire																				
vittata Say																				

Subfamily ZEUGOPHORINAE

Genus ZEUGOPHORA Kunze

(Subgenus ZEUGOPHORA s.str.)

Genus OULEMA des Gozis

(Subgenus OULEMA s.str.)

O. melanopus (Linné)+ - - - - - - - ON PQ - - - - -

Subfamily CLYTRINAE

Key to New World genera: Moldenke (1981)

Key to North American species: Moldenke (1970)

Tribe Clytrini

Genus ANOMOEIA Agassiz

Anomoia Chevrolat

Euthyna Gistel

A. laticlavia laticlavia (Forster) - - - - - MB ON PQ - - - - -
 ephippium (Germar)
 floridana Schaeffer
 kansana Schaeffer
 nigripes (Fabricius)
 obsita (Fabricius)
 ruficauda (Foersberg)

Tribe Megalostomini

Genus COLEOTHORPA Moldenke

C. dominicana dominicana (Fabricius) - - NT - AB - MB ON - - - - -
 C. vittigera vittigera (LeConte) - - - BC AB SK MB - - - - -

Tribe Babiini

Genus BABIA Chevrolat

Harpasta Gistel

(Subgenus BABIA s. str.)

B. quadriguttata quadriguttata (Olivier) - - - - - ON - - - - -
 biguttata Crotch
 quadriforis (Newman)

Genus SAXINIS Lacordaire

(Subgenus BOREOSAXINIS Moldenke)

S. omogera omogera Lacordaire - - - - - ON - - - - -
 S. saucia saucia LeConte - - - BC - - - - -

Subfamily CRYPTOCEPHALINAE

Tribe Pachybrachini

<i>P. tridens</i> (Melsheimer)	-	-	-	-	-	-	MB	ON	-	-	-	-	-	-
<i>P. trinotatus</i> (Melsheimer)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>P. vau</i> Fall	-	-	-	-	AB	-	-	-	-	-	-	-	-	-
<i>P. vacillatus</i> Fall	-	-	-	BC	-	-	-	-	-	-	-	-	-	-

Tribe Monachini

Genus LEXIPHANES Gistel
 Monachus Leng
 Monachus Chevrolat
 Key to North American species: Balsbaugh (1966)

<i>L. saponatus</i> (Fabricius)	-	-	-	-	-	-	MB	ON	PQ	NB	-	-	-	-
<i>ater</i> (Haldeman)														
<i>viridanus</i> (Fall)														

Tribe Cryptocephalini

Genus CRYPTOCEPHALUS O.F.Muller
 (Subgenus CRYPTOCEPHALUS s.str.)
 (Canthostethus Haldeman)
 Key to North American species: White (1968)

<i>C. calidus</i> Suffrian	-	-	-	-	-	-	MB	ON	-	-	-	-	-	-
<i>C. confluentus</i> confluentus Say	-	-	-	BC	AB	SK	-	-	-	-	-	-	-	-
<i>C. gibbicollis</i> gibbicollis Haldeman	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	-
<i>C. incertus</i> Olivier	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
<i>lineolatus</i> Haldeman														
<i>C. insertus</i> Haldeman	-	-	-	-	AB	SK	MB	ON	PQ	-	-	-	-	-
<i>ellipsoidalis</i> Casey														
<i>C. leucomelas</i> leucomelas Suffrian	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>C. mutabilis</i> Melsheimer	-	-	-	-	-	-	MB	ON	PQ	-	-	-	-	-
<i>discoideus</i> Suffrian														
<i>dispersus</i> Haldeman														
<i>C. notatus</i> notatus Fabricius	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	-
<i>C. notatus</i> quadrimaculatus Say	-	-	-	BC	AB	SK	MB	ON	PQ	-	-	-	-	-
<i>C. notatus</i> sellatus Schaeffer	-	-	-	-	-	-	MB	-	-	-	-	-	-	-
<i>C. quadruplex</i> Newman	-	-	-	-	-	-	MB	ON	-	-	NS	-	-	-
<i>quadriguttulus</i> Suffrian														
<i>C. sanguinicollis</i> Suffrian	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>nigerrimus</i> Crotch														
<i>C. schreibersii</i> Suffrian	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>rugicollis</i> Haldeman														
<i>C. spurcus</i> vandykei R.E.White	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>C. striatulus</i> LeConte	-	-	-	-	-	-	-	-	PQ	-	-	-	-	-
<i>C. tinctus</i> LeConte	-	-	-	-	-	-	-	-	PQ	-	-	-	-	-
<i>C. trivittatus</i> Olivier	-	-	-	-	-	-	-	-	PQ	-	-	-	-	-
<i>lixus</i> Newman														
<i>vitatus</i> Haldeman														
<i>C. venustus</i> cinctipennis Randall	-	-	-	-	-	SK	MB	ON	-	-	-	-	-	-
<i>C. venustus</i> hamatus Melsheimer	-	-	-	-	-	-	MB	ON	-	-	-	-	-	-
<i>C. venustus</i> ornatulus Clavareau	-	-	-	-	-	-	MB	-	-	-	-	-	-	-

ornatus Fabricius
 C. venustus simplex Haldeman - - - - - - - - ON - - - - - -
 C. venustus venustus Fabricius - - - - AB SK MB ON PQ - - - - - -
 flaccidus Suffrian

Genus DIACHUS LeConte
 Fabricianus Weise

D. aeruginosus LeConte - - - BC - - MB - - - - - - -
 D. auratus (Fabricius) - - - BC - - MB ON PQ - NS - - -
 aeneus (Olivier)
 chalconotus (Mannerheim)
 viridis (Melsheimer)
 D. cataris (Suffrian) - - - BC AB SK MB ON - NB NS - - -
 D. pallidicornis (Suffrian) - - - - - - - ON - - - - - -

Genus BASSAREUS Haldeman

B. formosus (Melsheimer) - - - - - - - ON PQ - NS - - -
 egenus Suffrian
 guttatus Haldeman
 B. lituratus (Fabricius) - - - - - - - ON - - - - - -
 B. luteipennis (Melsheimer) - - - - - - - ON - - - - - -
 B. mammifer (Newman) - - - - - - - ON - - - - - -
 B. pretiosus (Melsheimer) - - - - - - MB - - - - - -
 B. sellatus Suffrian - - - - - - MB ON - - - - - -
 ?notatus (Kirby)
 ?quadrisignatus Suffrian
 B. sulphuripennis (Melsheimer) - - - - - - - ON - - - - - -

Genus TRIACHUS LeConte

T. atomus (Suffrian) - - - - - - - ON - - - - - -
 T. vacuus LeConte - - - - - - - ON - NB - - - - -

Subfamily CHLAMISINAE

Genus NEOCHLAMISUS Karren

Key to North American species: Karren (1972)

N.alni (W.J.Brown) - - - - - - - ON - - - - - -
 N. bebbiana (W.J.Brown) - - - - - - MB ON PQ - NS - - -
 N. chamaedaphnes (W.J.Brown) - - - - - - - ON PQ - - - - -
 N. comptoniae (W.J.Brown) - - - - - - - - - NB NS - - -
 N. coryli (W.J.Brown) - - - - - - - ON - - - - - -
 N. cribripennis (LeConte) - - - - - - - ON PQ - NS - - -
 N. eubati (W.J.Brown) - - - - - - - ON PQ - - - - -
 N. fragariae (W.J.Brown) - - - - - - - - - NB - - -
 N. tectus (W.J.Brown) - - - - - - - ON - - - - -

Genus EXEMA Lacordaire

Key to North American species: Karren (1966)

<i>E. canadensis</i> Pierce	-	-	-	-	-	-	-	MB	ON	PQ	NB	-	-	-	-
<i>E. dispar</i> Lacordaire	-	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>pennsylvanica</i> Pierce															

Subfamily SYNETINAE

Genus SYNETA Dejean

Key to species: Edwards (1953)

Key to Eastern North American species: Brown (1961)

<i>S. albida</i> LeConte	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-
<i>suturalis</i> LeConte															
<i>S. carinata</i> Mannerheim	AK	-	-	BC	AB	-	-	-	-	-	-	-	-	-	-
<i>S. extorris borealis</i> W.J.Brown	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	NF	
<i>S. ferruginea</i> (Germar)	-	-	-	-	-	-	-	MB	ON	PQ	NB	NS	-	-	NF
<i>costata</i> (Newman)															
<i>rubicunda</i> Lacordaire															
<i>tripla</i> (Say)															
<i>S. hamata</i> Horn	-	-	-	BC	AB	SK	-	-	-	-	-	-	-	-	-
<i>S. pilosa</i> W.J.Brown	-	YT	NT	BC	AB	SK	MB	ON	PQ	NB	NS	-	-	NF	
<i>S. simplex simplex</i> LeConte	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-
<i>S. simplex subalpina</i> Edwards	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-	-

Subfamily EUMOLPINAE

Tribe Nodinini

Genus METACHROMA Chevrolat

Atrachela Gistel

Key to species: Blake (1970)

<i>M. angustulum</i> Crotch	-	-	-	-	AB	SK	MB	ON	-	-	-	-	-	-	-
<i>parallelum</i> Horn															
<i>M. longulum</i> Horn	-	-	-	-	-	SK	-	-	-	-	-	-	-	-	-
<i>novemstriatum</i> Schaeffer															
<i>opacipenne</i> Fall															

Genus PARIA LeConte

Key to North American species: Wilcox (1957)

Key to North American species: Balsbaugh (1970)

<i>P. aterrima</i> (Olivier)	-	-	-	-	-	-	-	-	PQ	-	-	-	-	-	-
<i>P. fragariae fragariae</i> Wilcox	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-	-
<i>P. pratensis</i> Balsbaugh	-	-	-	-	-	-	-	-	PQ	-	-	-	-	-	-
<i>P. quadriguttata</i> LeConte	-	-	-	-	AB	SK	MB	-	-	-	-	-	-	-	-
<i>saliceti</i> Wilcox															
<i>P. quadrinotata</i> (Say)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-	-
<i>gilvipes</i> Crotch															
<i>infusata</i> (LeConte)															
<i>melanura</i> (Melsheimer)															
<i>P. sexnotata</i> (Say)	-	-	-	-	-	-	-	MB	-	-	-	-	-	-	-

<i>P. scutellaris</i> (Notman)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>P. thoracica</i> (Melsheimer)	-	-	-	-	-	-	-	MB	ON	PQ	-	-	-	-

Tribe Eumolpini

Genus SPINTHEROPHYTA Dejean

Chalcoptera Crotch

Chrysodina Baly

Key to North American species: Schultz (1976)

<i>S. globosa</i> (Olivier)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
-----------------------------	---	---	---	---	---	---	---	----	---	---	---	---	---	---

Genus NODONOTA Lefèvre

Brachynoea Gistel

Noda Chevrolat

Key to North American species: Schultz (1980)

<i>N. clypealis</i> Horn	-	-	-	-	AB	-	-	-	-	-	-	-	-	-
<i>N. margaretae</i> Schultz	-	-	-	-	-	-	MB	ON	-	-	-	-	-	-
<i>N. puncticollis</i> (Say)	-	-	-	-	AB	SK	MB	ON	PQ	-	-	-	-	-
<i>aenea</i> (Melsheimer)														
<i>humeralis</i> (LeConte)														
<i>strigicollis</i> (Lefèvre)														
<i>N. tristis</i> (Olivier)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>ovata</i> (Say)														
<i>pilula</i> (Germar)														

Genus COLASPIS Fabricius

Key to North American species (part): Blake (1974)

<i>C. brunnea</i> (Fabricius)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>flavida</i> Say														
<i>flavicans</i> Lefèvre														
<i>C. costipennis</i> Crotch	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>crotchi</i> Lefèvre														
<i>C. favosa</i> Say	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>C. suilla borealis</i> Blake	-	-	-	-	-	-	-	MB	ON	-	-	-	-	-

Genus RHABDOPTERUS Lefèvre

Rhabdophorus Lefèvre

Key to North American species: Schultz (1977)

<i>R. deceptor</i> Barber	-	-	-	-	AB	-	MB	ON	-	-	-	-	-	-
<i>R. praetextus</i> (Say)	-	-	-	-	-	-	-	ON	PQ	-	-	PE	-	-
<i>spiculatus</i> Barber														
<i>weisei</i> (Schaeffer)														

Genus CHRYSOCHUS Chevrolat

Atymius Gistel

Key to Western North American species: Hatch (1971)

<i>C. auratus</i> (Fabricius)	-	-	-	BC	AB	SK	MB	ON	PQ	-	-	-	-	-
<i>C. cobaltinus</i> LeConte	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>californicus</i> Marshall														
<i>castaneus</i> Marshall														
<i>tenebricosus</i> Marshall														

Tribe Adoxini

Genus GRAPHOPS LeConte
Heteraspis LeConte
Key to species: Blake (1955)

<i>G. cupraeus</i> (Provancher)	-	-	-	-	-	-	-	-	PQ	-	-	-	-	-
<i>G. curtipennis</i> curtipennis (Melsheimer)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>G. marcassitus</i> (Crotch)	-	-	-	-	AB	-	MB	ON	PQ	-	-	-	-	-
<i>G. nebulosus</i> (LeConte)	-	-	-	-	AB	SK	-	-	-	-	-	-	-	-
<i>G. negrellus</i> Blake	-	-	-	-	-	-	MB	-	-	-	-	-	-	-
<i>G. nigellus</i> Blake	-	-	-	-	-	-	MB	-	-	-	-	-	-	-
<i>G. pubescens</i> (Melsheimer)	-	-	-	-	-	-	MB	ON	PQ	-	NS	-	-	-
<i>G. varians</i> LeConte	-	-	-	-	-	-	MB	-	-	-	-	-	-	-
<i>G. viridis</i> Blake	-	-	-	-	-	SK	-	-	-	-	-	-	-	-

Genus XANTHONIA Baly

<i>X. decemnotata</i> (Say)	-	-	-	-	-	SK	MB	ON	PQ	-	NS	-	-	-
<i>X. villosula</i> (Melsheimer)	-	-	-	-	-	-	MB	ON	-	-	NS	-	-	-
<i>plagiata</i> (Melsheimer)														
<i>stevensi</i> Blake														

Genus FIDIA Walsh

<i>F. viticida</i> Walsh	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>lurida</i> Lefèvre														

Genus BROMIUS Chevrolat
Adoxus Kirby
Eumolpus Redtenbacher

<i>B. obscurus</i> (Linné)*	AK	YT	NT	BC	AB	SK	MB	ON	PQ	NB	NS	PE	-	NF
<i>cochlearius</i> Say														
<i>concinnus</i> Weise														
<i>lewisi</i> Weise														

Genus MYOCHROUS Erichson
Key to North American species: Blake (1950)

<i>M. denticollis</i> (Say)	-	-	-	-	-	-	-	-	PQ	-	-	-	-	-
<i>M. squamosus</i> LeConte	-	-	-	-	AB	SK	-	-	-	-	-	-	-	-

Genus GLYPTOSCELIS Chevrolat

Key to species: Blake (1967)

G. albida albida LeConte	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
G. artemisiae Blake	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
G. longior LeConte	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
G. pubescens (Fabricius)	-	-	-	-	-	-	MB	ON	PQ	-	-	-	-	-
pini (Say)														
hirsuta (Gmelin)														
hirta (Olivier)														
G. septentrionalis Blake	-	-	-	BC	-	-	-	-	-	-	-	-	-	-

Subfamily CHRYSOMELINAE
 Key to North American species: Wilcox (1972)
 Tribe Timarchini

Genus TIMARCHA Latreille

(Subgenus AMERICANOTIMARCHA Jolivet)

Key to New World species: Jolivet (1948)

T. cerdo Stal	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
aenea Jolivet														
intenta Jolivet														
nigra Jolivet														
T. intricata Haldeman	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
adusta Jolivet														
violacea Jolivet														
viridis Jolivet														

Tribe Chrysomelini

Genus ZYGOGRAMMA Chevrolat

Z. conjuncta conjuncta (Rogers)	-	-	-	-	AB	SK	MB	-	-	-	-	-	-	-
Z. continua (LeConte)	-	-	-	-	AB	-	-	-	-	-	-	-	-	-
Z. disrupta (Rogers)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
Z. exclamationis (Fabricius)	-	-	-	-	AB	SK	MB	ON	-	-	-	-	-	-
Z. suturalis casta (Rogers)	-	-	-	-	-	-	MB	-	-	-	-	-	-	-
festiva (Fabricius)														
Z. suturalis suturalis (Fabricius)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
pulcra (Fabricius)														

Genus CALLIGRAPHA Chevrolat

- Boliographa Motschulsky
- Metallographa Motschulsky
- Phyllis Gistel
- Polyspila Hope

Key to North American species: Brown (1945)

(Subgenus GRAPHICALLO Monros)

C. lunata hybrida (Say)	-	-	-	-	AB	SK	MB	-	-	-	-	-	-	-
-------------------------	---	---	---	---	----	----	----	---	---	---	---	---	---	---

lativittata (Achard)
 lativittis Schaeffer
 C. lunata lunata (Fabricius) - - - - - - - ON - - - - -
 brunnea (Thunberg)
 bowditchi (Achard)
 medionota Schaeffer
 mediorupta (Achard)

(Subgenus BIDENSOMELA Monros)

C. bidenticola bidenticola W.J.Brown - - - - - - - ON PQ - - - - -
 hilaris Achard
 intermedia Achard
 similis (Rogers)

(Subgenus COREOPSOMELA Monros)

C. californica californica Linell - - - BC - - - - - - - - -
 C. californica coreopsivora W.J.Brown - - NT BC AB SK MB ON PQ NB - PE - -
 elegans (Olivier)

(Subgenus ACALLIGRAPHA Monros)

C. praecelsis (Rogers) - - - - - - - MB - - - - -

(Subgenus CALLIGRAPHA s.str.)

C. alni Schaeffer - - - - AB SK MB ON PQ NB NS - - -
 confinis (Kirby)
 C. alnicola W.J.Brown - - - - - - - ON PQ NB NS - - -
 C. amator W.J.Brown - - - - - - - ON - - - - -
 C. apicalis Notman - - - - - - - ON PQ - - - - -
 C. confluens Schaeffer - - - - - - - ON PQ NB NS - - -
 C. dolosa W.J.Brown - - - - - - - ON PQ - - - - -
 C. ignota W.J.Brown - - - - - - MB ON PQ NB NS PE - - -
 C. incisa (Rogers) - - - - - - MB - - - - -
 C. knabi W.J.Brown - - - - - - MB ON PQ - - - - -
 C. multipunctata bigsbyana (Kirby) - - NT BC AB SK MB ON PQ NB NS - - -
 C. multipunctata multipunctata (Say) - - - - AB - - - - - - -
 C. ostryae W.J.Brown - - - - - - - ON - - - - -
 C. philadelphica (Linné) - - - BC - SK MB ON PQ NB NS - - -
 decipiens (Weber)
 ruficornis (Olivier)
 C. pnirsa (Stal) - - - - - - - ON PQ - - - - -
 labyrinthica Horn
 C. pruni W.J.Brown - - - - - - - ON - - - - -
 C. rhoda Knab - - - - - - MB ON - - - - -
 C. rowena Knab - - - - - - MB ON PQ NB - - - - -
 C. scalaris (LeConte) - - - - - - MB ON PQ - - - - -
 multiguttis Stal
 C. sigmoidea (LeConte) - - - BC AB - - - - - - -
 C. spiraeae (Say) - - - - - - - ON - - - - -
 C. tiliae W.J.Brown - - - - - - - ON - NB - - - - -
 C. verrucosa (Suffrian) - - NT BC AB SK MB ON - - - - -
 C. vicina Schaeffer - - - - - - - ON PQ NB - - - - -
 C. virginea W.J.Brown - - - - - - - ON PQ NB - - - - -

Genus LEPTINOTARSA Stal

Myocoryna Stal

Polygramma Chevrolat

Key to North American species: Jacques (1988)

L. decemlineata decemlineata (Say)	-	-	-	BC	AB	SK	MB	ON	PQ	NB	NS	PE	-	-
albida Tower														
intermedia Tower														
melanica Tower														
minuta Tower														
multitaeniata (Stal)														
oblongata Tower														
pallida Tower														
rubicunda Tower														
rubrivittata Tower														
tortuosa Tower														

Genus LABIDOMERA Chevrolat

Paropsimena Motschulsky

L. trimaculata (Fabricius)	-	-	-	-	-	-	MB	ON	PQ	-	-	-	-	-
clivicollis (Kirby)														
rogersi LeConte														

Genus CHRYSOLINA Motschulsky

Apterosoma Motschulsky

Chrysomela auct.

Oreina Monros & Bechyné

Key to species: Brown (1962a)

(Subgenus CHRYSOLINA s.str.)

(Stichosoma Motschulsky)

C. staphylea (Linné)+	-	-	-	-	-	-	-	-	PQ	-	NS	-	-	NF
-----------------------	---	---	---	---	---	---	---	---	----	---	----	---	---	----

(Subgenus SPHAEROMELA Bedel)

C. varians (Schaller)+	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
------------------------	---	---	---	----	---	---	---	---	---	---	---	---	---	---

(Subgenus HYPERICIA Bedel)

C. hyperici (Forster)+	-	-	-	BC	-	-	-	ON	-	NB	NS	-	-	-
------------------------	---	---	---	----	---	---	---	----	---	----	----	---	---	---

C. quadrigemina (Suffrian)+	-	-	-	BC	-	-	-	ON	-	NB	NS	-	-	-
-----------------------------	---	---	---	----	---	---	---	----	---	----	----	---	---	---

gemellata auct.

geminata auct.

(Subgenus CHALCOIDEA Motschulsky)

C. finitima W.J.Brown	AK	YT	-	-	-	-	-	-	-	-	-	-	-	-
-----------------------	----	----	---	---	---	---	---	---	---	---	---	---	---	---

C. flavomarginata flavomarginata (Say)	-	-	-	-	AB	-	-	-	-	-	-	-	-	-
--	---	---	---	---	----	---	---	---	---	---	---	---	---	---

C. flavomarginata vidua (Rogers)	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-
----------------------------------	---	---	---	----	----	---	---	---	---	---	---	---	---	---

C. hudsonica W.J.Brown	-	-	NT	-	-	-	MB	ON	PQ	-	-	-	-	NF
------------------------	---	---	----	---	---	---	----	----	----	---	---	---	---	----

(Subgenus PLEUROSICA Motschulsky)

C. cavigera (J.R.Sahlberg)*
 tolli Jacobson AK - - - - - - - - - - - - - -

(Subgenus ARCTOLINA Kontkanen)

C. caurina W.J.Brown AK - - - - - - - - - - - - - -
C. magniceps (J.Sahlberg) AK - - - - - - - - - - - - - -
C. subsulcata (Mannerheim) AK YT - - - - - - - - - - - - - -

(Subgenus PEZOCROSITA Jacobson)

C. auripennis (Say) AK - - - - - MB - - - - - - - -
 inornata (Rogers)
C. basilaris (Say) - YT - BC AB - - - - - - - - - -

Genus GASTROPHYSA Chevrolat
 Key to North American species: Jolivet (1951)

(Subgenus GASTROPHYSA s.str.)
 (Gastroidea Hope)

G. cyanea caesia Rogers - - NT BC AB SK - - - - - - - -
G. cyanea cyanea Melsheimer - - - - - - - ON - - - - - - - -
G. dissimilis (Say) - - NT - AB SK - - - - - - - -
G. formosa (Say) - - - - AB SK MB - - - - - - - -
G. polygona (Linné)* - - - BC AB SK MB ON PQ NB NS PE - -
 caerulipennis (Say)
 ruficollis (Fabricius)

Genus PHAEDON Megerle von Muhlfeid
 Key to North American species: Balsbaugh (1983)

(Subgenus PHAEDON s.str.)

P. armoraciae armoraciae (Linné)* AK YT NT BC AB SK MB ON PQ NB NS - - NF
 americanus Schaeffer
P. armoraciae niger Hatch - - - BC - - - - - - - - - -
 planus Hatch
P. laevigatus (Duftschmid)* AK - NT BC AB SK MB ON PQ NB NS - - -
 carri Hatch
 cochleariae auct. amer.
 uniformis Fall
 vancouverensis Hatch
P. oviformis (LeConte) AK YT NT BC AB SK MB ON PQ NB NS - - -
P. prasinellus (LeConte) - - - BC AB - - - - - - - - - -
 punctatus Hatch
 vandykei Hatch
P. viridis Melsheimer - - - - - SK MB ON PQ NB - - - -
 aeruginosus Suffrian
 dietrichi Hatch
 microreticulatus Hatch
 oklahomensis Hatch

Genus HYDROTHASSA Thomson

(Subgenus HYDROTHASSA s.str.)
(Eremosis des Gozis)

H. boreala Schaeffer	-	YT	NT	BC	AB	SK	MB	-	-	-	-	-	-	-
H. obliquata (LeConte)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
H. ovalis (Blatchley)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
H. vittata (Olivier)*	-	-	NT	-	AB	SK	MB	ON	PQ	-	NS	-	-	-
trivittata (Say)														
varipes (LeConte)														

Genus PRASOCURIS Latreille

Helodes Paykull

P. phellandrii (Linné)*	AK	-	NT	BC	AB	SK	MB	ON	PQ	-	-	-	-	-
-------------------------	----	---	----	----	----	----	----	----	----	---	---	---	---	---

Genus PLAGIODERA Chevrolat

(Subgenus PLAGIODERA s.str.)
(Melasomida Schaeffer)
(Pseudolina Schaeffer)

P. versicolora (Laicharting)+ armoraciae (Fabricius)	-	-	-	-	-	-	MB	ON	PQ	NB	-	-	-	-
---	---	---	---	---	---	---	----	----	----	----	---	---	---	---

Genus CHRYSOMELA Linné

Key to New World species: Brown (1956)

(Subgenus CHRYSOMELA s.str.)
(Lina Dejean)
(Melasoma Stephens)

C. aeneicollis (Schaeffer) quadriguttoides Beller & Hatch	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-
C. blaisdelli (Van Dyke)	AK	-	NT	BC	-	-	-	-	-	-	-	-	-	-
C. confluens (Rogers) maculicollis Schaeffer	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
C. crotchi W.J.Brown	AK	-	NT	-	AB	SK	MB	ON	PQ	NB	NS	-	-	-
C. engelhardti (Hatch)	AK	YT	NT	-	-	-	-	-	-	-	-	-	-	-
C. falsa W.J.Brown	AK	YT	NT	BC	AB	SK	MB	ON	PQ	-	-	-	LB	NF
C. invicta W.J.Brown	-	-	-	-	AB	-	-	-	-	-	-	-	-	-
C. knabi hesperia W.J.Brown	-	-	-	-	AB	SK	MB	-	-	-	-	-	-	-
C. knabi knabi W.J.Brown	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
C. laurentia W.J.Brown	-	-	NT	-	AB	-	-	ON	PQ	-	-	-	-	-
C. lineatopunctata (Forster) novaboracensis Gmelin obsoleta (Say) scriptoides (Schaeffer) variegata Olivier	-	-	NT	BC	AB	SK	MB	ON	PQ	-	-	-	-	-
C. mainensis interna W.J.Brown	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-
C. mainensis littorea W.J.Brown	AK	-	-	BC	-	-	-	-	-	-	-	-	-	-
C. mainensis mainensis Bechyné	-	YT	NT	-	AB	-	MB	ON	PQ	NB	NS	-	LB	NF
C. schaefferi W.J.Brown	AK	YT	-	BC	AB	-	MB	-	-	-	-	-	-	-

T. tuberculata (Say)	-	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	-	-
T. vaccinii (Fall)	-	-	-	-	-	-	-	-	ON	PQ	NB	-	-	-	-	-

Genus PYRRHALTA Joannis

P. viburni (Paykull)+	-	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-	-
-----------------------	---	---	---	---	---	---	---	---	----	----	---	---	---	---	---	---

Genus XANTHOGALERUCA Laboissière

X. luteola (O.F.Muller)+	-	-	-	BC	-	-	-	-	ON	PQ	-	-	-	-	-	-
--------------------------	---	---	---	----	---	---	---	---	----	----	---	---	---	---	---	---

Genus ERYNEPHALA Blake

Key to species: Blake (1936)

E. maritima (LeConte)	-	-	-	-	-	-	-	-	-	-	-	NS	-	-	-	-
texana Schaeffer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E. puncticollis (Say)	-	-	-	-	AB	SK	MB	-	-	-	-	-	-	-	-	-

Genus MONOXIA LeConte

Key to species: Blake (1939)

M. angularis (LeConte)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-
M. consputa LeConte	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-
M. debilis LeConte	-	-	-	-	AB	-	-	-	-	-	-	-	-	-	-	-
M. grisea Blake	-	-	-	-	AB	-	-	-	-	-	-	-	-	-	-	-
M. inornata Blake	-	-	-	-	AB	-	-	-	-	-	-	-	-	-	-	-
M. puberula Blake	-	-	-	-	AB	-	-	-	-	-	-	-	-	-	-	-
M. sordida LeConte	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-

Genus OPHRAELLA Wilcox

Key to North American species: LeSage (1986)

O. americana (Fabricius)	-	-	-	-	AB	SK	MB	ON	PQ	-	-	-	-	-	-	-
O. arctica LeSage	-	-	-	NT	-	-	-	MB	-	-	-	-	-	-	-	-
O. bilineata (Kirby)	-	-	-	BC	AB	SK	MB	-	-	-	-	-	-	-	-	-
O. communa LeSage	-	-	-	BC	AB	SK	-	ON	-	-	-	-	-	-	-	-
notulata auct.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O. conferta (LeConte)	-	-	-	-	AB	SK	MB	ON	PQ	NB	NS	-	-	-	-	-
O. cribrata (LeConte)	-	-	-	-	AB	SK	MB	ON	-	-	-	-	-	-	-	-
O. notata (Fabricius)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-	-	-
O. nuda LeSage	-	-	-	-	AB	-	-	-	-	-	-	-	-	-	-	-
O. pilosa LeSage	-	-	-	BC	AB	SK	MB	ON	PQ	-	-	-	-	-	-	-

Genus GALERUCA O.F.Muller

Key to North American species: Blake (1945)

(Subgenus GALERUCA s.str.)

(Adimonia Laicharting)

G. browni Blake	-	-	-	-	AB	SK	MB	-	-	-	-	-	-	-	-	-
G. externa (Say)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-	-	-

G. rudis (LeConte) - YT - BC - - - - - - - - - -

Tribe Luperini

Genus DIABROTICA Chevrolat

D. barberi Smith & Lawrence - - - - - - - MB ON PQ NB - - - -
 longicornis auct.
 D. cristata (Harris) - - - - - - - MB ON - - - - - -
 atripennis (Say)
 fossata LeConte
 D. undecimpunctata howardi Barber - - - - - - - ON PQ - - - - -
 duodecimpunctata (Fabricius)
 D. virgifera virgifera LeConte - - - - - - - ON - - - - -
 filicornis Horn

Genus ACALYMMA Barber

Key to North American species: Munroe & Smith (1980)

A. gouldi Barber - - - - - - - ON PQ - - - - -
 A. vittatum (Fabricius) - - - - - - - MB ON PQ NB NS - - - -
 americanum (Gmelin)
 melanocephalum (Fabricius)
 pallipes (Olivier)
 stolatum (Gmelin)

Genus CEROTOMA Chevrolat

Andrector Horn
 Cerotana Bowditch
 Ceratoma Dozier

C. trifurcata (Forster) - - - - - - - MB ON - - - - -

Genus PSEUDOLUPERUS Beller & Hatch

P. leontii (Crotch) - - - BC - - - - - - - - - -
 P. longulus LeConte - - - BC - - - - - - - - - -

Genus SCELOLYPERUS Crotch

S. cyanellus (LeConte) - - - - - - - ON - - NS - - - -
 S. nigrovirescens (Fall) - - - BC AB - - - - - - - - - -
 S. schwarzi Horn - - - BC - - - - - - - - - -
 S. torquatus (LeConte) - - - BC - - - - - - - - - -
 S. varipes (LeConte) - - - BC AB - - - - - - - - - -
 concavus Beller & Hatch

Genus PHYLLOBROTICA Chevrolat

<i>P. utanula</i> E.H. Smith	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>P. zimmermanni</i> (Crotch)* <i>sinuata</i> Horn	AK	-	-	BC	AB	SK	MB	ON	-	-	-	-	-	-

Genus APHTHONA Chevrolat
 Cerataltica Crotch

<i>A. cyparissiae</i> (Koch)+	-	-	-	-	AB	?	-	?	-	?	-	-	-	-
<i>A. flava</i> Guillebeau+	-	-	-	-	AB	?	-	?	-	?	-	-	-	-
<i>A. nigriscutis</i> Foudras+	-	-	-	-	AB	-	MB	?	-	-	-	-	-	-

Genus LONGITARSUS Berthold

(Subgenus LONGITARSUS s.str.)
 (*Apterus* Blatchley)
 (*Teinodactyla* Chevrolat)
 (*Thyamis* Stephens)

<i>L. erro</i> Horn	-	-	NT	BC	AB	-	MB	ON	PQ	-	NS	-	-	-
<i>L. ferrugineus</i> (Foudras)+	-	-	-	-	-	-	-	ON	PQ	-	-	PE	-	NF
<i>L. ganglbaueri</i> Heikertinger+	-	-	-	-	-	-	MB	-	-	-	-	-	-	-
<i>L. insolens</i> Blatchley	-	-	-	-	AB	-	-	ON	PQ	-	-	-	-	-
<i>L. jacobaeae</i> Waterhouse+	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>L. luridus</i> (Scopoli)+	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	NF
<i>L. melanurus</i> Melsheimer	-	-	-	-	-	-	MB	ON	PQ	-	-	-	-	-
<i>L. pallescens</i> Blatchley	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>L. pellucidus</i> (Foudras)+	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
<i>L. pratensis</i> (Panzer)+	-	-	-	-	-	-	-	ON	PQ	-	-	PE	-	-
<i>L. rubiginosus</i> (Foudras)+	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
<i>L. succineus</i> Foudras+	-	-	-	-	-	-	-	-	-	-	-	-	-	NF
<i>L. suspectus</i> Blatchley	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>L. testaceus</i> Melsheimer	-	-	-	-	-	-	-	ON	PQ	NB	-	-	-	-

Genus GLYPTINA LeConte
 Balophila Crotch

<i>G. abbreviata</i> Gentner	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>G. atriventris</i> Horn	-	-	-	BC	AB	SK	MB	ON	-	-	-	-	-	-
<i>G. brunnea</i> Horn	-	-	-	-	-	-	MB	ON	PQ	-	-	-	-	-
<i>G. cyanipennis</i> (Crotch)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>G. spuria</i> LeConte <i>lissotorques</i> LeConte	-	-	-	-	-	-	MB	ON	PQ	-	-	-	-	-

Genus SYSTEMENA Chevrolat

<i>S. bitaeniata</i> (LeConte)	-	-	-	-	AB	-	-	-	-	-	-	-	-	-
<i>S. blanda</i> (Melsheimer) <i>ligata</i> (LeConte) <i>ochracea</i> (LeConte) <i>taeniata</i> (Say)	-	-	-	-	AB	-	MB	ON	-	-	-	-	-	-
<i>S. carri</i> Blake	-	-	-	-	AB	-	-	-	-	-	-	-	-	-
<i>S. corni</i> Schaeffer	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>S. dimorpha</i> Blake	-	-	-	-	AB	SK	-	-	-	-	-	-	-	-
<i>S. elongata</i> (Fabricius)	-	-	-	-	-	-	MB	-	-	-	-	-	-	-

<i>C. heikertingeri</i> (Lazorko)	-	-	-	BC	AB	SK	MB	ON	PQ	NB	NS	-	-	NF
<i>C. luminosa</i> Parry	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	NF
<i>C. nana</i> (Say) chittendi Heikertinger	-	-	NT	BC	AB	SK	MB	ON	PQ	NB	-	-	-	-
<i>C. populivora</i> Parry	-	-	NT	BC	AB	SK	MB	ON	PQ	NB	NS	-	-	-
<i>C. sculpturata</i> (Lazorko)	-	-	-	BC	-	-	MB	ON	-	-	-	-	-	-
<i>C. solita</i> Parry	-	-	-	BC	AB	SK	MB	ON	PQ	-	-	-	-	-
<i>C. spenceri</i> (Lazorko)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>C. vaga</i> Parry	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>C. violacea</i> Melsheimer	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-

Genus EPITRIX Foudras

<i>E. brevis</i> Schwarz	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>E. cucumeris</i> (Harris) ?pubescens Illiger seminulum LeConte	-	-	-	-	-	SK	MB	ON	PQ	NB	NS	-	-	-
<i>E. hirtipennis</i> (Melsheimer)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
<i>E. humeralis</i> Dury	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>E. subcrinita</i> (LeConte)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
<i>E. tuberis</i> Gentner	-	-	-	BC	AB	SK	-	-	-	-	-	-	-	-

Genus MANTURA Stephens

<i>M. chrysanthemi</i> (Koch)+	-	-	-	-	-	-	-	-	-	-	-	-	-	NF
<i>M. floridana</i> Crotch	-	-	-	-	AB	SK	MB	ON	PQ	NB	NS	-	-	NF

Genus CHAETOCNEMA Stephens

(Subgenus CHAETOCNEMA s. str.)

<i>C. concinna</i> (Marsham)+	-	-	-	-	-	-	-	-	-	-	-	PE	-	-
<i>C. confinis</i> Crotch flavicornis LeConte	-	-	-	-	AB	SK	MB	ON	PQ	NB	NS	-	-	-
<i>C. cribrata</i> LeConte rudis LeConte	-	-	NT	BC	AB	SK	MB	ON	PQ	NB	NS	-	-	NF
<i>C. cribrifrons</i> LeConte	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
<i>C. decipiens</i> LeConte	-	-	-	-	-	SK	-	-	-	-	-	-	-	-
<i>C. denticulata</i> (Illiger) americana Motschulsky semichalchea Melsheimer texana Crotch	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
<i>C. ectypa</i> Horn	-	-	-	-	-	SK	MB	-	-	-	-	-	-	-
<i>C. minuta</i> Melsheimer	-	-	-	-	-	-	MB	ON	PQ	NB	NS	-	-	-
<i>C. opulenta</i> Horn	-	-	-	-	AB	SK	MB	-	-	-	-	-	-	-
<i>C. perturbata</i> Horn	-	-	-	-	-	SK	MB	-	-	-	-	-	-	-
<i>C. protensa</i> LeConte	-	YT	-	BC	AB	SK	MB	ON	PQ	-	-	-	-	-
<i>C. pulicaria</i> Melsheimer ?aeneola LeConte	-	-	-	BC	AB	-	-	ON	-	-	-	-	-	-
<i>C. subcylindrica</i> LeConte cylindrica LeConte	-	-	NT	BC	AB	SK	MB	ON	PQ	-	-	-	-	-
<i>C. subviridis</i> LeConte	-	-	-	-	AB	SK	MB	-	-	-	-	-	-	-

Genus CAPRAITA Bechyné

Chloephaga Weise

Key to North American species: Blake (1927)

C. circumdata (Randall)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
limbalis (Melsheimer)														
?quercata (Crotch)														
C. scalaris (Melsheimer)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
lobata (LeConte)														
C. sexmaculata (Illiger)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
cretica (Jacoby)														
palliata (Randall)														
C. subvittata (Horn)	-	-	-	-	AB	SK	MB	ON	PQ	NB	NS	-	-	-
C. thymoides (Crotch)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-

Genus DISTIGMOPTERA Blake

Key to North American species: Blake (1943)

D. apicalis Blake	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
D. borealis Blake	-	-	-	BC	AB	SK	MB	ON	PQ	NB	-	-	-	-
D. pilosa (Illiger)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-

Genus DIBOLIA Latreille

Key to North American species: Parry (1974)

(Subgenus DIBOLIA s.str.)

D. borealis Chevrolat	-	-	-	-	AB	SK	MB	-	PQ	NB	NS	-	-	-
D. chelones Parry	-	-	-	-	-	-	-	ON	PQ	-	NS	-	-	-
D. libonoti Horn	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-
D. melampyri Parry	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	-
D. penstemonis Parry	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	-
D. reyheria Mignot	-	-	-	-	AB	-	MB	-	-	-	-	-	-	-

Genus PSYLLIODES Berthold

P. affinis (Paykull)+	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
P. chrysocephala (Linné)+	-	-	-	-	-	-	-	-	-	-	-	-	-	NF
P. convexior LeConte	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
P. cucullata (Illiger)+	-	-	-	-	-	-	-	-	PQ	NB	-	-	-	-
P. napi (Fabricius)+	-	-	-	-	-	-	-	ON	PQ	NB	-	PE	-	-
P. picina (Marsham)+	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
P. punctulata Melsheimer	-	-	-	-	-	-	-	MB	ON	PQ	-	NS	-	NF
aenescens Casey														
extricata Casey														
parvicollis LeConte														

Subfamily HISPINAE

Tribe Chalepini

Key to North American genera: Butte (1968a)

