





pallipes (Wolcott)

Genus ENOCLERUS Gahan

E. barri Knull	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
E. coccineus coccineus (Schenkling)	-	-	-	-	AB	-	-	-	-	-	-	-	-	-
corallinus (Fall)														
E. eximius (Mannerheim)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
holosericeus (A.White)														
E. ichneumoneus (Fabricius)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
rufus (Olivier)														
E. laetus (Klug)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
abruptus (LeConte)														
E. lecontei (Wolcott)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
nigriventris (LeConte)														
E. muttkowskii (Wolcott)	-	-	-	-	-	-	-	ON	PQ	NB	-	-	-	-
liljebladi Wolcott														
E. nigrifrons (Say)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-
gerhardi Wolcott														
testaceipes Wolcott														
E. nigripes nigripes (Say)	-	-	-	-	-	-	-	MB	ON	PQ	NB	-	-	-
dubius (Spinola)														
incertus (LeConte)														
E. nigripes rufiventris (Spinola)	-	-	-	-	-	-	-	ON	PQ	NB	-	-	-	-
E. rosmarus (Say)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
oculatus (Spinola)														
E. schaefferi Barr	-	-	-	BC	-	-	-	-	-	-	-	-	-	-
humeralis Schaeffer														
E. sphegeus (Fabricius)	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-
sobrius (Walker)														

Genus TRICHODES Herbst

Key to North American species: Foster (1976)

T. apivorus borealis Wolcott & E.A.Chapin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
interruptus LeConte														
nuttalli Say														
trifasciatus Sturm														
T. nutalli (Kirby)	-	-	-	-	AB	SK	MB	ON	PQ	-	-	-	-	-
T. ornatus hartwegianus A.White					AK	YK	NT	BC	AB	-	-	-	-	-

Subfamily KORYNETINAE

Tribe Epiphloeini

Genus PHLOGISTOSTERNUS Wolcott

Phyllobaenus Spinola

P. dislocatus (Say)	-	-	-	-	-	-	-	MB	ON	PQ	NB	-	-	-
dystrophus (Klug)														
transversalis (Spinola)														

Genus NEICHNEA Wolcott & E.A.Chapin

N. laticornis (Say) - - - - - ON - - - - -

Tribe Enopliini

Genus NEORTHOPLEURA Barr  
Key to species: Barr (1976)

N. thoracica (Say) - - - - - ON PQ - - - - -  
 bimaculata (Melsheimer)  
 nigripennis (Spinola)  
 pennsylvanica (Chevrolat)  
 punctatissima (Chevrolat)

Genus CHARIESSA Perty  
Brachymorphus Chevrolat

C. elegans Horn - - - BC - - - - -  
 lemberti La Rivers  
 C. pilosa (Forster) - - - BC AB SK MB ON PQ - - - - -  
 cincta (Spinola)  
 marginata (Say)  
 onusta (Say)

Genus BOSCHELLA Barr

B. fasciata (LeConte) - - - BC - - - - -  
 trilobata (Van Dyke)

Genus CREGYA LeConte  
Galeruclerus Gahan

C. oculata (Say) - - - - - ON - - - - -  
 marginipennis (Spinola)

Tribe Korynetini

Genus NECROBIA Olivier

N. ruficollis (Fabricius)+ - - - BC - - - ON PQ - - - - -  
 N. rufipes (DeGeer)+ - - - BC AB - - - ON PQ - - - - -  
 N. violacea (Linné)+ AK YK NT BC AB SK MB ON PQ - - - - - NF  
 errans Melsheimer

Subfamily TARSOSTENINAE

Genus TARSOSTENUS Spinola

T. univittatus (Rossi)+  
albofasciatus (Melsheimer)

- - - BC - - - - -