

hispidus LeConte																		
occidentalis Candèze																		
L. canus LeConte	-	-	-	BC	AB	SK	-	-	-	-	-	-	-	-	-	-	-	-
discoideus LeConte																		
subcostatus Motschulsky																		
L. confusus LeConte	-	-	-	-	-	-	-	ON	PQ	-	NS	-	-	-	-	-	-	-
aenescens LeConte																		
L. crotchi Horn	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L. ectypus (Say)	-	-	-	-	-	SK	MB	-	-	-	-	-	-	-	-	-	-	-
L. griseus (Palisot de Beauvois)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-
hirticollis Melsheimer																		
propexus Candèze																		
L. humidus Lane	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L. infuscatus Motschulsky	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-	-	-	-	-
L. lanei Van Dyke	-	-	-	BC	AB	SK	MB	-	-	-	-	-	-	-	-	-	-	-
L. lecontei Lane	-	-	-	BC	AB	SK	-	-	-	-	-	-	-	-	-	-	-	-
consimilis Walker																		
nitidicollis LeConte																		
L. maculicollis Motschulsky	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-
discicollis Candèze																		
L. nitidulus Horn	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-	-	-	-	-
L. pectoralis LeConte	AK	YK	NT	BC	AB	SK	MB	ON	PQ	NB	-	-	-	-	-	-	NF	-
L. pictus Van Dyke	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L. pilosulus Candèze	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-
pilosus LeConte																		
L. plebejus (Say)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-	-	-	-	-
metallescens Melsheimer																		
L. quercinus (Say)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-	-	-	-	-
L. rudis W.J.Brown	-	-	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-
L. rufihumeralis Lane	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-	-	-	-	-
L. seminudus Van Dyke	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L. snakensis Lane	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L. stigma (Herbst)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-	-	-	-	-
armus (Say)																		
L. subauratus LeConte	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-
L. ursinus Van Dyke	-	-	-	-	AB	SK	MB	-	-	-	-	-	-	-	-	-	-	-
L. venabelsi Wickham	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Genus ELATHOUS Reitter

E. californicus Van Dyke	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E. discalceatus (Say)	-	-	-	-	-	-	-	ON	PQ	-	NS	-	-	-	-	-	-	-
oberndorfferi (Schwarz)																		
E. nebulosus (Van Dyke)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Genus ATHOUS Eschscholtz

 Crepidophorus Mulsant & Guillebean

 Key to Eastern North American species: Becker (1974)

 Key to North American species: Becker (1979)

A. acanthus (Say)	-	-	-	-	-	-	-	ON	PQ	-	NS	-	-	-	-	-	-	-
carolinus Van Dyke																		
flavangularis Horn																		
maculicollis LeConte																		
A. brightwelli (Kirby)	-	-	-	-	-	-	-	ON	PQ	NB	NS	-	-	-	-	-	-	-

arcticollis Melsheimer																			
oblongicollis Melsheimer																			
A. campyloides Newman+	-	-	-	-	-	-	-	-	-	PQ	NB	NS	PE	-	-				
affinis Couper																			
A. cucullatus (Say)	-	-	-	-	-	-	-	-	ON	PQ	-	NS	-	-	-				
hypoleucus Melsheimer																			
procericollis Melsheimer																			
strigatus Melsheimer																			
A. fossularis (LeConte)	-	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-				
A. imitans Fall	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-				
A. neacanthus Becker	-	-	-	-	-	-	-	-	-	PQ	-	-	-	-	-				
A. nigropilis Motschulsky	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-	-				
montanus LeConte																			
nugalis Fall																			
orophilus Harold																			
speculifer Fall																			
A. orvus Becker	-	-	-	-	-	-	-	-	ON	PQ	NB	NS	PE	-	-				
A. posticus (Melsheimer)	-	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-				
erebus Van Dyke																			
A. productus (Randall)	-	-	-	-	-	SK	MB	ON	PQ	-	-	-	-	-	-				NF
bipunctatus Provancher																			
A. rufifrons (Randall)	-	-	-	-	-	-	MB	ON	PQ	NB	NS	-	-	-	-				NF
lengi Dury																			
reflexus LeConte																			
A. rufiventris rectithorax Reitter	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-				
reticollis Fall																			
A. rufiventris rufiventris (Eschscholtz)	AK	-	-	BC	AB	-	-	-	-	-	-	-	-	-	-				
ferruginosus Eschscholtz																			
maritimus Van Dyke																			
A. scapularis (Say)	-	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-				
A. scissus LeConte	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-				
ingens Fall																			
A. sierrae varius Lane	AK	-	-	BC	-	-	-	-	-	-	-	-	-	-	-				
A. vittiger LeConte	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-				

Genus HARMINIUS Fairmaire

H. triundulatus (Mannerheim)	AK	YK	-	BC	-	-	-	ON	PQ	-	-	-	-	-					
------------------------------	----	----	---	----	---	---	---	----	----	---	---	---	---	---	--	--	--	--	--

Genus MICRATHOUS Lane

M. brevis (Van Dyke)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-					
----------------------	---	---	---	----	---	---	---	---	---	---	---	---	---	---	--	--	--	--	--

Genus DENTICOLLIS Piller & Mitterpacher
Key to North American species: Becker (1952)

D. denticornis (Kirby)	-	-	NT	BC	AB	SK	MB	ON	PQ	NB	NS	-	-	-					NF
flavinasus (Melsheimer)																			
D. varians (Germar)	AK	YK	NT	BC	-	-	-	-	-	-	-	-	-	-					
variabilis (Eschscholtz)																			

Genus BERNINELSONIUS Leseigneur
Key to species: Stibick (1976)

B. hyperboreus (Gyllenhal)*
planatus (Eschscholtz) AK YK NT - - - - - - - - - - -

Genus LIGMARGUS Stibick
 Key to North American species: Stibick (1976)

L. funebris (Candèze) AK YK NT BC AB - - - - - - - - -
L. lecontei (Leng) - - - - - - - ON PQ - NS - - -
planatus (LeConte)

Genus ASCOLIOCERUS Méquignon
Scoliocerus Motschulsky
 Key to North American species: Stibick (1978)

A. sanborni (Horn)* AK YK NT - - - MB - PQ - - - LB NF
barbatus (J.R.Sahlberg)

Genus MARGAIOSTUS Stibick
 Key to North American species: Stibick (1978)

(Subgenus MARGAIOSTUS s.str.)

M. glacialis (Van Dyke) AK - - BC AB - - - - - - - - -
M. grandicollis (LeConte) - - - - - - - ON PQ - - - - -

Genus HYPOLITHUS Eschscholtz
Cryptohypnus Eschscholtz
 Key to North American species: Stibick (1978)

H. littoralis Eschscholtz* AK - - - - - - - - - - - - -

Genus HYPNOIDUS Dillwyn
 Key to North American species: Stibick (1978)

H. abbreviatus (Say) AK YK - BC AB SK MB ON PQ NB NS PE - NF
silaceipes (Germar)
H. bicolor (Eschscholtz)* AK YK NT BC AB SK MB ON PQ NB NS - LB -
fallax (Mannerheim)
lacustris (LeConte)
limbatus (Mannerheim)
picescens (LeConte)
pumilus (Dejean)
scarificatus (Mannerheim)
vestitus (Mannerheim)
H. impressicollis (Mannerheim) AK YK NT BC AB - MB ON PQ - - - LB NF
H. leei Stibick - - - - AB - - - - - - - - -
H. nocturnus (Eschscholtz) AK YK - BC ? - - - - - - - - -
H. rivularius (Gyllenhal)* AK YK NT BC - SK MB - PQ - - - LB NF
H. squalidus (LeConte) - - - BC AB - - - - - - - - -

Genus OEDOSTETHUS LeConte

O. femoralis LeConte - - - - AB SK MB ON PQ NB - - - -

Genus NEGASTRIUS Thomson

N. caurinus (Horn) - - - BC - - - - - - - - -
N. choris (Say) - - - - - - MB ON PQ - - - - -
N. delumbis (Horn) - - - - - - - - - NB NS PE - -
N. dispersus (Horn) - - - BC - - - - - - - - -
N. dubius (Horn) - - - - AB SK MB - - - - - - -
N. exiguus (Randall) - - - - - - - ON ? - - - - -
 guttatulus (Melsheimer)
N. extricatus (Fall) AK YK NT BC - - - - - - - - -
N. gentilis (LeConte) - - - BC AB - - - - - - - - -
N. manki (Fall) - - - BC AB - - - - - - - - -
N. melsheimeri (Horn) - - - - - - - PQ NB NS - - -
N. musculus (Eschscholtz) AK - - BC - - - - - - - - -
N. obliquatulus (Melsheimer) - - - - - - ON - - NS - - -
N. ornatus (LeConte) - - - BC - - - - - - - - -
 colon (Horn)
 moerens (Horn)
N. pectoralis (Say) - - - BC - - - ON PQ - NS - - -
 futilis (LeConte)
 inops (LeConte)
N. restrictulus (Mannerheim) AK YK NT - - - - - PQ - - - - -
N. striatulus (LeConte) AK - - BC ? - - ON PQ NB NS - - -
N. tumescens LeConte AK YK NT BC AB - MB ON PQ NB NS - - -

Genus CTENICERA Latreille

Corymbites Latreille

C. aeripennis aeripennis (Kirby) AK YK NT BC AB SK - - - - - - -
 tincta (LeConte)
C. aeripennis destructor (W.J.Brown) - - NT - AB SK MB - - - - - - -
C. angularis (LeConte) - - - BC - - - - - - - - -
C. angusticollis (Mannerheim) AK - - BC - - - - - - - - -
 fraterna (LeConte)
 spectabilis (Mannerheim)
C. appropinquans (Randall) - - - - - - MB ON PQ NB NS PE - -
C. appressa (Randall) - - - - - - - ON PQ NB - - ? NF
 mirifica LeConte
C. arata (LeConte) - YK NT BC AB - MB ON PQ NB NS - - NF
C. atropurpurea (Melsheimer) - - - - - - - PQ - - - - NF
C. bipunctata (W.J.Brown) - - - BC - - - - - - - - -
C. bombycina (Germar) - - - BC AB - - - - - - - - -
C. callida (W.J.Brown) - - - BC - - - - - - - - -
C. carbo LeConte - - - BC - - - - - - - - -
C. comes (W.J.Brown) - - - BC - - - - - - - - -
C. confluens (Gebler) AK - - - - - - - - - - - - -
C. conjungens (LeConte) - - - BC - - - - - - - - -
C. consors (W.J.Brown) - - - - AB SK MB - - - - - - -
C. crestonensis (W.J.Brown) - - - BC - - - - - - - - -
C. cylindriciformis (Herbst) - - - - - - - ON PQ NB NS PE - -
 apressifrons (Say)

parvicollis (Mannerheim)																			
vagus (LeConte)																			
E. estriatus (LeConte)	AK	YK	NT	BC	AB	-	-	ON	PQ	NB	-	-	LB	NF					
subarcticus W.J.Brown																			
E. granicollis (Van Dyke)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E. maculipennis LeConte	-	-	-	-	-	-	-	ON	PQ	NB	-	-	LB	NF					
pictus (Candèze)																			
E. striatipennis W.J.Brown	AK	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Genus HEMICREPIDIUS Germar
Asaphes Kirby

H. bilobatus (Say)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-	-	-	-	-	-
cavifrons (Melsheimer)																			
consentaneus (LeConte)																			
melanophthalmus (Melsheimer)																			
planatus (LeConte)																			
tener (LeConte)																			
H. brevicollis (Candèze)	-	-	-	-	-	-	MB	ON	PQ	NB	NS	-	-	-	-	-	-	-	-
H. carbonatus (LeConte)	-	-	-	BC	AB	SK	MB	-	-	-	-	-	-	-	-	-	-	-	-
coracinus Candèze																			
H. dilaticollis Motschulsky	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H. hemipodus (Say)	-	-	-	-	-	-	-	ON	PQ	-	-	-	-	-	-	-	-	-	-
aeneolus (Melsheimer)																			
aereus (Melsheimer)																			
corporosus (Germar)																			
decoloratus (Say)																			
H. memnonius (Herbst)	-	-	-	-	AB	SK	MB	ON	PQ	-	NS	PE	-	-	-	-	-	-	-
baridius (Say)																			
ruficornis (Kirby)																			
thomasi Germar																			
H. montanus Lane	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H. morio (LeConte)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
vernus Candèze																			
H. pallidipennis (Mannerheim)	AK	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
oregonus (LeConte)																			
H. simplex (LeConte)	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-	-	-	-	-	-
H. tumescens (LeConte)	-	-	-	BC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Tribe Oestodini

Genus OESTODES LeConte

O. puncticollis Horn	-	-	-	-	-	SK	MB	-	-	-	-	-	-	-	-	-	-	-	-
O. tenuicollis (Randall)	-	-	-	-	-	-	-	ON	PQ	NB	NS	PE	-	-	-	-	-	-	-
graciliformis (Randall)																			
obscuripes Candèze																			

Subfamily ELATERINAE

Tribe Elaterini

Key to North American species: Roache (1961)

Genus ELATER Linné
 Ludius Berthold
 Steatoderus Dejean

E. abruptus Say - - - - - - - - ON PQ - NS - - -
 coracinus (Germar)

Genus PARALLELOSTETHUS Schwarz

P. attenuatus (Say) - - - - - - - - ON - - - - -
 fuscus Castelnau

Genus SERICUS Eschscholtz
 Atractopterus LeConte
 Dolerosomus Motschulsky
 Sericosomus Dejean

S. blaisdelli (Van Dyke) - - - BC - - - - - - - -
 S. honestus (Randall) - - - - - - - - ON PQ NB - - - -
 fusiformis (LeConte)
 S. incongruus (LeConte) AK YK NT BC AB SK MB ON PQ NB NS - LB NF
 behrensi (Candèze)
 S. silaceus (Say) - - - - - - - - ON PQ - - - - -
 debilis (LeConte)
 flavipennis (Motschulsky)
 umbraticus (LeConte)
 S. viridanus (Say) - - - - - - - - ON PQ - NS - - -
 sublucens (Randall)

Tribe Agriotini

Genus GLYPHONYX Candèze
 Key to North American species: Smith & Balsbaugh (1984)

G. testaceus (Melsheimer) - - - - - - - - ON - - - - -

Genus AGRIOTES Eschscholtz
 Pedetes Kirby
 Key to North American species: Becker (1956)

A. apicalis LeConte - - - BC - - - - - - - -
 A. arcanus W.J.Brown - - - - - - - - ON - - - - -
 A. avulsus (LeConte) - - - - - - - - ON - - - - -
 A. collaris (LeConte) - - - - - - - - ON PQ NB NS PE - -
 A. criddlei Van Dyke - - - BC AB SK MB - - - - -
 A. ferrugineipennis (LeConte) - - - BC AB - - - - -
 A. fucosus (LeConte) - - - - AB SK MB ON PQ NB NS - - NF
 A. hoodi Becker - - - BC - - - - - - - -
 A. isabellinus (Melsheimer) - - - - - - - - ON PQ - - - - -
 A. limosus (LeConte) - - NT BC AB SK MB ON PQ NB NS PE LB NF
 A. lineatus (Linné)+ - - - BC - - - - - NS - - NF
 A. mancus (Say) - - - - AB SK MB ON PQ NB NS PE LB -

C. sodalis Lanchester	-	-	-	-	AB	-	-	-	-	-	-	-	-	-
C. tenebrosus LeConte fulvipes LeConte	-	-	-	BC	-	SK	MB	-	-	-	-	-	-	-
C. tumidicollis LeConte	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-
C. tutus Lanchester	-	-	-	BC	AB	-	-	-	-	-	-	-	-	-

Genus HORISTONOTUS Candèze

H. curiatus (Say) areolatus (Erichson)	-	-	-	-	-	-	-	ON	-	-	-	-	-	-
---	---	---	---	---	---	---	---	----	---	---	---	---	---	---